KAWACHI®

www.kawachilighting.com

PRODUCT CATALOG 2026



SNI 04-6973.2.1-2005
SNI IEC 60598-1:2016

SNI IEC 60598-1:2016
SNI IEC 60598-2-2:2016

SNI IEC 60598-:2016
SNI IEC 60598-2-3:2016

SNI IEC 60598-:2016
SNI IEC 60598-2-5:2016

SNI IEC 62560:2015

SNI IEC 60669-1:2013

SNI IEC 60884-1:2014

SNI 04-3892.1.1-2003

SNI 04-0534-1989

SNI 04-6292.2.80-2006

SNI 7609:2011

KAWACHI®



www.kawachilighting.com

KAWACHI

LED LIGHTING

KAWACHI META BRIO



MB-3W	MB-5W	MB-7W	MB-9W	MB-9BN BUAH NAGA
3 Watt	5 Watt	7 Watt	9 Watt	9 Watt
390LM ±10%	650LM ±10%	910LM ±10%	1170LM ±10%	1170LM ±10%

MB-12W	MB-12BN BUAH NAGA	MB-15W	MB-18W	MB-20W
12 Watt	12 Watt	15 Watt	18 Watt	20 Watt
1560LM ±10%	1560LM ±10%	1950LM ±10%	2340LM ±10%	2600LM ±10%

Dilengkapi IC DRIVER sehingga lampu lebih awet & tahan lama

AC 150-240V (50-60Hz) | -20~+40°C | PC + AL + PBT + IC DRIVER | 3000K - Warm White | 6700K - Super White | Buah Naga: 2700k - Warm White

Tahan hingga 20.000 jam | Area Pencahayaan 270° | High Lumen 130LM/W

KAWACHI META BRIO Stick



LS-55	LS-75	LS-95	LS-125
5.5 Watt	7.5 Watt	9.5 Watt	12.5 Watt
715LM ±10%	975LM ±10%	1235LM ±10%	1625LM ±10%
35x84mm	38x108mm	41x118mm	44x134mm

Dilengkapi IC DRIVER sehingga lampu lebih awet & tahan lama

AC 150-240V (50-60Hz) | -10~+40°C | PC + AL + PBT + IC DRIVER | 3000K - Warm White | 6700K - Super White

Tahan hingga 20.000 jam | Area Pencahayaan 200° | High Lumen 130LM/W

KAWACHI NIO



NS-3W	NS-5W	NS-7W	NS-9W	NS-9BN BUAH NAGA
3 Watt	5 Watt	7 Watt	9 Watt	9 Watt
301LM ±10%	501LM ±10%	702LM ±10%	872LM ±10%	872LM ±10%

NS-12W	NS-12BN BUAH NAGA	NS-15W	NS-18W	NS-24W
12 Watt	12 Watt	15 Watt	18 Watt	24 Watt
1231LM ±10%	1231LM ±10%	1539LM ±10%	1722LM ±10%	2462LM ±10%

3W-12W: AC 100-240V (50-60Hz)
15W-24W: AC 150-240V (50-60Hz)

-20~+40°C | Tahan hingga 12.000 jam

PC + ALUMINIUM | 3000K - Warm White | 6700K - Super White | Buah Naga: 2700k - Warm White

KAWACHI Magic Led



MA-1592
15 Watt
Tahan Hingga 5 Jam
AC 90-240V



MA-2091
20 Watt
Tahan Hingga 5 Jam
AC 90-240V



MA-2092
20 Watt
Tahan Hingga 5 Jam
AC 90-240V



MA-3091	
30 Watt	Mode Terang hingga 3 jam Mode Sedang hingga 6 jam Mode Redup hingga 18 jam
2x1800mAh (Baterai Lithium Kawachi)	3600 Lumen
AC 90-265V	

AC / DC Dual Funtion

Tetap menyala saat listrik padam

Cahaya lebih luas dan merata

Proteksi kekurangan & kelebihan cas

PC + AL +PBT

LED LIGHTING

KAWACHI META LED MOTION SENSOR METACOOLER LED



SL-714G	SL-914G	SL-1514G
7 Watt	9 Watt	15 Watt
700LM ±10%	900LM ±10%	1500LM ±10%

AC 100-240 (50-60Hz) | Area Pencahayaan 270°
Tahan hingga 20.000 jam | PC + ALUMINIUM
-20~+40°C | 3000K - Warm White | 6700K - Super White

LAMPU MENYALA SELAMA ADA PERGERAKAN
LAMPU EFISIEN & HEMAT ENERGI



SENSOR SEPANJANG HARI



SUDUT PENCAHAYAAN 270°



MENDETEKSI JARAK < 8 METER



LAMPU PADAM SETELAH 30 DETIK SECARA OTOMATIS

KAWACHI DIAMOND



DM-5W	DM-10W	DM-15W	DM-20W	DM-30W
5 Watt	10 Watt	15 Watt	20 Watt	30 Watt
523LM ±10%	1056LM ±10%	1534LM ±10%	2121LM ±10%	3206LM ±10%

DM-40W	DM-50W	DM-80W	DM-90W	DM-110W
40 Watt	50 Watt	80 Watt	90 Watt	110 Watt
3925LM ±10%	5344LM ±10%	8000LM ±10%	11250LM ±10%	13750LM ±10%

DM-160W
160 Watt
20000LM ±10%

OVERHEAT PROTECTION

AC 150-240V (50-60Hz) | -20~+40°C | PBT + AL +PC
Tahan hingga 20.000 jam | Area Pencahayaan 270° | 3000K - Warm White | 6700K - Super White

KAWACHI NIO KING



NK-6W	NK-12W	NK-18W	NK-24W
6 Watt	12 Watt	18 Watt	24 Watt
633LM ±10%	1273LM ±10%	1909LM ±10%	2546LM ±10%

NK-30W	NK-40W	NK-50W	NK-65W
30 Watt	40 Watt	50 Watt	65 Watt
3206LM ±10%	3925LM ±10%	5344LM ±10%	6947LM ±10%

AC 150-240V (50-60Hz) | -30~+50°C | PBT + AL +PC
Tahan hingga 15.000 jam | Area Pencahayaan 270° | 3000K - Warm White | 6700K - Super White

KAWACHI Hylos



HS-5W	HS-10W	HS-15W	HS-20W
5 Watt	10 Watt	15 Watt	20 Watt
500LM ±10%	1000LM ±10%	1500LM ±10%	2000LM ±10%

HS-30W	HS-36W	HS-45W	HS-55W
30 Watt	36 Watt	45 Watt	55 Watt
3000LM ±10%	3600LM ±10%	4500LM ±10%	5500LM ±10%

AC 150-240V (50-60Hz) | -30~+50°C | PBT + AL +PP
Tahan hingga 12.000 jam | Area Pencahayaan 270° | 3000K - Warm White | 6700K - Super White

KAWACHI

LED LIGHTING

KAWACHI ROVER



RV-60W	RV-100W	RV-150W
60 Watt	100 Watt	150 Watt
6000LM±10%	10000LM±10%	15000LM±10%

AC 165-240V (50-60Hz)
Tahan hingga 20.000 jam
-30~+50°C

Area Pencahayaan 270°
PBT + AL +PC
6700K - Super White

ENERGY saving



KAWACHI META ORBIT LED



MO-20W	MO-30W	MO-40W	MO-50W
20 Watt	30 Watt	40 Watt	50 Watt
2000LM±10%	3000LM±10%	4000LM±10%	5000LM±10%

AC 150-265V (50-60Hz)
Tahan hingga 20.000 jam
-30°C to 40°C

Area Pencahayaan 220°
AL + PC
3000K - Warm White | 7000K - Super White

ENERGY saving



KAWACHI POLAR



PO-60W	PO-90W	PO-120W
60 Watt	90 Watt	120 Watt
6000LM±10%	9000LM±10%	12000LM±10%
⌀28x13.6cm ⌀11inch	⌀32x13.8cm ⌀12.6inch	⌀38x14.5cm ⌀15inch

AC 150-240V (50-60Hz)
Tahan hingga 20.000 jam
-40°C to 50°C

Area Pencahayaan 120°
AL + PC
3000K - Warm White | 6500K - Super White

ENERGY saving

IP52



KAWACHI MERCY LED




M-18W	M-28W	M-38W
18 Watt	28 Watt	38 Watt
1800LM±10%	2800LM±10%	3800LM±10%

AC 150-265V (50-60Hz)
Tahan hingga 15.000 jam
-20~+40°C

Area Pencahayaan 180°
PCT + PC + PP
3000K - Warm White | 6500K - Super White

ENERGY saving



KAWACHI

LED LIGHTING

KAWACHI METABRIO T-BULB SERIES



MB-T30W	MB-T40W	MB-T-50W
30 Watt	40 Watt	50 Watt
3900LM±10%	5200LM±10%	6500LM±10%

Dilengkapi IC DRIVER sehingga lampu lebih awet & tahan lama

AC 150-240V (50-60Hz)	-20~+40°C	PBT + AL + IC DRIVER
Tahan hingga 20.000 jam	Area Pencahayaan 180°	3000K - Warm White | 6700K - Super White
High Lumen Led 130Lm/W		

ENERGY saving

KAWACHI METAVALUE



MV-3W	MV-5W	MV-7W	MV-9W	MV-9BN BUAH NAGA
3 Watt	5 Watt	7 Watt	9 Watt	9 Watt
360LM±10%	600LM±10%	840LM±10%	1080LM±10%	1080LM±10%

MV-12W	MV-12BN BUAH NAGA	MV-15W	MV-18W	MV-25W
12 Watt	12 Watt	15 Watt	18 Watt	25 Watt
1440LM±10%	1440LM±10%	1800LM±10%	2160LM±10%	3000LM±10%

AC 150-240V (50-60Hz)	-20~+40°C	PBT + PC + ALUMINIUM
Tahan hingga 15.000 jam	Area Pencahayaan 270°	3000K - Warm White | 6700K - Super White Buah Naga: 2700k - Warm White
High Lumen 120Lm/W		

ENERGY saving

NIO STAR



NR-5W	NR-10W	NR-15W	NR-20W
5 Watt	10 Watt	15 Watt	20 Watt
523LM±10%	1056LM±10%	1536LM±10%	2121LM±10%

NR-30W	NR-40W	NR-50W	NR-60W
30 Watt	40 Watt	50 Watt	60 Watt
3206LM±10%	3925LM±10%	5344LM±10%	6413LM±10%

AC 150-240V (50-60Hz)	-20~+40°C	PBT + ALUMINIUM
Tahan hingga 12.000 jam	Area Pencahayaan 220°	3000K - Warm White | 6700K - Super White

ENERGY saving

KAWACHI KRISTAL



AL-35W	AL-45W	AL-55W	AL-65W	AL-75W
35 Watt	45 Watt	55 Watt	65 Watt	75 Watt
4550LM±10%	5850LM±10%	7150LM±10%	8450LM±10%	9750LM±10%

Dilengkapi IC DRIVER sehingga lampu lebih awet & tahan lama

AC 150-240V (50-60Hz)	-30~+50°C	PA + AL + PC + IC DRIVER
Tahan hingga 20.000 jam	Area Pencahayaan 220°	3000K - Warm White | 6700K - Super White
High Lumen Led 130Lm/W		

SNI

ENERGY saving

LED LIGHTING

KAWACHI® LED MERCURY



MY-40W	MY-50W
40 Watt	50 Watt
4000LM	5000LM

Dilengkapi IC DRIVER sehingga lampu lebih awet & tahan lama

AC 150-240V (50-60Hz) | -20~+40°C | PBT + PC + AL + IC DRIVER

Tahan hingga 15.000 jam | Area Pencahayaan 270° | 3000K - Warm White | 6500K - Super White

ENERGY saving

KAWACHI® EYE CARE



EC-6W	EC-12W	EC-18W	EC-22W
6 Watt	12 Watt	18 Watt	22 Watt
600LM	1200LM	1800LM	2200LM

EC-32W	EC-42W	EC-52W	EC-62W
32 Watt	42 Watt	52 Watt	62 Watt
3200LM	4200LM	5200LM	6200LM



CRI 90

TEKNOLOGI SOFT OPTIC VISION COMFORT

Dilengkapi IC DRIVER sehingga lampu lebih awet & tahan lama

AC 150-240V (50-60Hz) | -20~+40°C | PBT + AL + PCR + IC DRIVER

Tahan hingga 15.000 jam | Area Pencahayaan 220° | 3000K - Warm White | 6700K - Super White

ENERGY saving

KAWACHI® LED CANDLE

AC 150-240V

PBT + AL + PC

501LM±10%

Area Pencahayaan 200°

3000K - Warm White
6500K - Super White



KLL-5W-E14
5 Watt
36.5xH101mm



KLE-5W-E14
5 Watt
36.5xH124mm



KLL-5W-E27
5 Watt
36.5xH101mm



KLE-5W-E27
5 Watt
36.5xH124mm





ENERGY saving

KAWACHI® LED FILAMENT

Cover Bening

LED Driver IC

Area Pencahayaan 270°

2700K - Warm White

Dilengkapi IC DRIVER sehingga lampu lebih awet & tahan lama



C35-E14-IC-4W
4 Watt
35x98mm
AC 150-240V



G45-E27-IC
4 Watt
45x79mm
AC 180-240V



A60-E27-IC-4W	A60-E27-IC-6W
4 Watt	6 Watt
60x105mm	60x105mm
AC 150-240V	AC 150-240V

A60-E27-IC-8W
8 Watt
60x105mm
AC 150-240V



C35-E27-IC-4W
4 Watt
35x98mm
AC 150-240V



ST64-E27-IC
4 Watt
64x140mm
AC 180-240V



G80-E27-IC
4 Watt
80x118mm
AC 180-240V

KAWACHI®

LED LIGHTING

KAWACHI® PILAR



PI-5W	PI-10W	PI-15W	PI-20W
5 Watt	10 Watt	15 Watt	20 Watt
625LM ±10%	1250LM ±10%	1875LM ±10%	2500LM ±10%

PI-30W	PI-40W	PI-50W	PI-70W
30 Watt	40 Watt	50 Watt	70 Watt
3750LM ±10%	5000LM ±10%	6250LM ±10%	8750LM ±10%

- AC 150-240V (50-60Hz)
- Tahan hingga 20.000 jam
- High Lumen 125Lm/W
- -20~+50°C
- Area Pencahayaan 270°
- PA + PC + ALUMINIUM
- 3000K - Warm White | 6700K - Super White

SNI IEC 62560:2015

ENERGY saving ★★★

KAWACHI® UFO



FO-26W	FO-38W	FO-50W
26 Watt	38 Watt	50 Watt
2779LM ±10%	4061LM ±10%	5344LM ±10%

- AC 150-240V (50-60Hz)
- Tahan hingga 20.000 jam
- Base E27
- 3000K - Warm White | 6700K - Super White
- -20~+50°C
- Area Pencahayaan 180°
- PA + ALUMINIUM

SNI IEC 62560:2015

ENERGY saving ★★★

KAWACHI® NUR



NU-35W	NU-45W	NU-55W	NU-65W	NU-75W
35 Watt	45 Watt	55 Watt	65 Watt	75 Watt
4550LM ±10%	5850LM ±10%	7150LM ±10%	8450LM ±10%	9750LM ±10%

Dilengkapi IC DRIVER sehingga lampu lebih awet & tahan lama

- AC 150-240V (50-60Hz)
- Tahan hingga 20.000 jam
- High Lumen Led 130Lm/W
- -30~+50°C
- Area Pencahayaan 220°
- PA + AL + PC + IC DRIVER
- 3000K - Warm White | 6700K - Super White

SNI IEC 62560:2015

ENERGY saving ★★★

KAWACHI ECONIC



CO-5W	CO-7W	CO-9W	CO-9BN BUAH NAGA
5 Watt	7 Watt	9 Watt	9 Watt
500LM ±10%	700LM ±10%	900LM ±10%	900LM ±10%

CO-12W	CO-15W	CO-18W
12 Watt	15 Watt	18 Watt
1200LM ±10%	1500LM ±10%	1800LM ±10%

- AC 190-240V (50-60Hz)
- Tahan hingga 10.000 jam
- High Lumen 100Lm/W
- -20~+40°C
- Area Pencahayaan 270°
- PBT + PC + ALUMINIUM
- 3000K - Warm White | 6700K - Super White
- Buah Naga: 2700k - Warm White

ENERGY saving ★★★

KAWACHI®

LED LIGHTING

KAWACHI® Home Lighting
LED Recessed Luminaires
BARET



BB-25W	BB-45W	BB-80W
25 Watt	45 Watt	80 Watt
⌀26x6cm	⌀37x6cm	⌀46x7cm

ULTRA SLIM | PENERANGAN MERATA

AC 170-240V (50-60Hz) | PBT + IRON + AL | 3000K - Warm White(25W,45W,80W) 6500K/3000K/4000K - Tri Colour (80W)

Tahan hingga 15.000 jam | Desain Elegan

HIGH BRIGHTINESS + HIGH CRI Color Rendering Index + GREEN LIGHTING + ELEGANT APPEARANCE + 15000 Hour Long Service Life + ENERGY save 90%

KAWACHI® Home Lighting
LED Recessed Luminaires
ERIDATOR

AC 165-240V (50-60Hz)

Tahan hingga 15.000 jam

Area Pencahayaan 120°


PBT + PC

3000K - Warm White | 6500K - Super White





ED-5-IB, 9-IB, 12-IB, 18-IB & 24-IB	EP-5-IB, 9-IB, 12-IB, 18-IB & 24-IB
5W, 9W, 12W, 18W & 24W	5W, 9W, 12W, 18W & 24W
5W: ⌀90x25mm, Cutting Hole ⌀70-80mm, 2.5Inch 9W: ⌀120x26mm, Cutting Hole ⌀95-110mm, 3.5Inch 12W: ⌀150x27mm, Cutting Hole ⌀120-140mm, 4Inch 18W: ⌀175x28mm, Cutting Hole ⌀145-165mm, 6Inch 24W: ⌀220x30mm, Cutting Hole ⌀185-210mm, 8Inch	5W: 90x90x25mm, Cutting Hole 70-80mm, 2.5Inch 9W: 120x120x26mm, Cutting Hole 95-110mm, 3.5Inch 12W: 150x150x27mm, Cutting Hole 120-140mm, 4Inch 18W: 175x175x28mm, Cutting Hole 145-165mm, 6Inch 24W: 220x220x30mm, Cutting Hole 185-210mm, 8Inch
5W: 500LM±10% | 9W: 900LM±10% | 12W: 1200LM±10% 18W: 1800LM±10% | 24W: 2400LM±10%	5W: 500LM±10% | 9W: 900LM±10% | 12W: 1200LM±10% 18W: 1800LM±10% | 24W: 2400LM±10%





ED-18-OB & 24-OB	EP-18-OB & 24-OB
18W & 24W	18W & 24W
18W: ⌀175x34mm, 6 Inch | 24W: ⌀220x36mm, 8 Inch	18W: 175x175x34mm, 6 Inch | 24W: 220x220x36mm, 8 Inch
18W: 1800LM±10% | 24W: 2400LM±10%	18W: 1800LM±10% | 24W: 2400LM±10%

HIGH BRIGHTINESS + HIGH CRI Color Rendering Index + GREEN LIGHTING + ELEGANT APPEARANCE + 15000 Hour Long Service Life + ENERGY save 90%

KAWACHI® Home Lighting
LED Recessed Luminaires
RIM LESS



RB-10W, 18W, 24W & 36W	
10W, 18W, 24W & 36W	
10W: ⌀90x24mm, Cutting Hole ⌀60-80mm, 2.5 Inch 12W: ⌀120x24mm, Cutting Hole ⌀60-100mm, 3.5 Inch 18W: ⌀173x24mm, Cutting Hole ⌀60-150mm, 5 Inch 24W: ⌀225x24mm, Cutting Hole ⌀60-200mm, 8 Inch	
10W: 1000LM±10% | 12W: 1200LM±10% 18W: 1800LM±10% | 24W: 2400LM±10%	



RB-36KS
36W
Size ⌀225x29mm Cutting Hole (IB/INBOW) 60-200mm, 8 Inch
3600LM±10%



RP-10W, 18W, 24W & 36W	
10W, 18W, 24W & 36W	
10W: 90x90x24mm, Cutting Hole 60-80mm, 2.5 Inch 12W: 120x120x24mm, Cutting Hole 60-100mm, 3.5 Inch 18W: 173x173x24mm, Cutting Hole 60-150mm, 5 Inch 24W: 225x225x24mm, Cutting Hole 60-200mm, 8 Inch	
10W: 1000LM±10% | 12W: 1200LM±10% 18W: 1800LM±10% | 24W: 2400LM±10%	

AC 150-240V (50-60Hz)

Tahan hingga 15.000 jam

Area Pencahayaan 200°

PBT + PC

3000K - Warm White | 6500K - Super White

6500K, 3000K, 4000K - Tri Colour

HIGH BRIGHTINESS + HIGH CRI Color Rendering Index + GREEN LIGHTING

ELEGANT APPEARANCE + 15000 Hour Long Service Life + ENERGY save 90%

KAWACHI® Home Lighting
LED Recessed Luminaires
VEGA LED



VL-3006,4006	VL-3012,4012	VL-3018,4018
6 Watt	12 Watt	18 Watt
VL-3006: ⌀118x15mm VL-4006: 117x117x15mm	VL-3012: ⌀168x15mm VL-4012: 167x167x15mm	VL-3018: ⌀220x15mm VL-4018: 217x217x15mm
Downlight: 4 Inch	Downlight: 6 Inch	Downlight: 8 Inch
Cutting Hole: 105mm	Cutting Hole: 155mm	Cutting Hole: 205mm

HIGH BRIGHTINESS + HIGH CRI Color Rendering Index + GREEN LIGHTING

ELEGANT APPEARANCE + 10000 Hour Long Service Life + ENERGY save w90%



VL-5006,6006	VL-5012,6012	VL-5018,6018
6 Watt	12 Watt	18 Watt
VL-5006: ⌀110x28mm VL-5006: 110x110x28mm	VL-5012: ⌀160x28mm VL-5012: 160x160x28mm	VL-3018: ⌀212x28mm VL-4018: 212x212x28mm
Downlight: 4 Inch	Downlight: 6 Inch	Downlight: 8 Inch

AC 170-240V | Tahan hingga 10.000 jam | 3000K - Warm White | 6500K - Super White

KAWACHI

LED LIGHTING

KAWACHI FLOOD LIGHT HIGH BAY





HB-100W	HB-150W	HB-200W
100 Watt	150 Watt	200 Watt
13000LM ±10%	19500LM ±10%	26000LM ±10%
Ø25.7x3cm	Ø29.7x3cm	Ø35.8x3.2cm

AC 150-240V (50-60Hz)
Tahan hingga 25.000 jam
-20~+40°C
Area Pencahayaan 80°-90°
High Lumen 130Lm/W
AL + PC Lensa Optical
6500K - Super White
IP65 + IK08



SNI

KAWACHI AURA



HIGH BRIGHTNESS + HIGH CRI (Color Rendering Index) + ELEGANT APPEARANCE + 15000 max (Lamp Life Hours) + ENERGY save 90%


AU-6W	AU-9W	AU-12W
6 Watt	9 Watt	12 Watt
600LM ±10%	900LM ±10%	1200LM ±10%
Size 3.5 inch Ø10.7x3.2cm	Size 3.5 inch Ø10.7x3.2cm	Size 4 inch Ø13x3.7cm
8.7cm < Cut < 9.7cm	8.7cm < Cut < 9.7cm	11cm < Cut < 12cm

AU-15W	AU-18W	AU-24W
15 Watt	18 Watt	24 Watt
1500LM ±10%	1800LM ±10%	2400LM ±10%
Size 6 inch Ø16x3.7cm	Size 6 inch Ø16x3.7cm	Size 8 inch Ø19.6x3.7cm
14cm < Cut < 15cm	14cm < Cut < 15cm	17.7cm < Cut < 18.7cm

AC 150-240V (50-60Hz)
Tahan hingga 15.000 jam
Efikasi Pengenal 100lm/W
PP + PS
3000K - Warm White | 4000K - Natural White
6700K - Super White | Tri Color

SNI


KAWACHI LED HEXAGON



HX-5	HX-11
144 Watt	276 Watt
LED 440mm (6w) 24pcs	LED 440mm (6w) 46pcs
17280LM	33120LM

HX-14
558 Watt
LED 440mm (6w) 57pcs LED 1175mm (18w) 12pcs
66960LM

AC 175-240V (50-60Hz)
Efikasi Pengenal 120lm/W
6500K - Super White



KAWACHI Home Lighting LED RECESSED LUMINAIRES

IB CEILING SPOTLIGHT

AC 170-240V (50-60Hz)
AL + PP +PMMA
Lama Pemakaian 25.000jam
Area Pencahayaan 60°
3000K - Warm White
4000K - Natural White
6500K - Super White

ADJUSTABLE 30°



SRB-500
5 Watt
Uk. Downlight: 2.5"
90xH39mm Cutting Hole: ⌀ 80mm
500LM ±10%



SRB-900
9 Watt
Uk. Downlight: 3"
108xH39mm Cutting Hole: ⌀ 90mm
900LM ±10%

LED LIGHTING

KAWACHI LED CUP SPOTLIGHT

- AC 150-240V
- PBT + AL + PC
- 3W: 300LM, 5W: 500LM, 7W: 700LM
- Area Pencahayaan 200°
- 3000K - Warm White
  4000K - Natural White
  6500K - Super White



CMR-3W-E27	CMR-5W-E27
3 Watt	5 Watt
51xH56mm	51xH56mm

CMR-7W-E27
7 Watt
51xH56mm



CMR-3W-GX53	CMR-5W-GX53
3 Watt	5 Watt
50xH49mm	50xH49mm

CMR-7W-GX53
7 Watt
50xH49mm



ENERGY saving

KAWACHI Home Lighting LED DECORATIVE — CEILING LED PRO LED

2 WARNA DALAM 1 LAMPU — PRO LED LED DECORATIVE



TYPE	WARNA	UKURAN DOWNLIGHT	DIMENSI PRODUK (mm)	DAYA
PL-1163	WHITE BLUE	3.5”	P : 145 L : 145 T : 30	6W+3W
PL-1126	WHITE BLUE	5”	P : 195 L : 195 T : 30	12W+6W
PL-1186	WHITE BLUE	8”	P : 245 L : 245 T : 30	18W+6W

2 WARNA DALAM 1 LAMPU — PRO LED LED DECORATIVE



TYPE	WARNA	UKURAN DOWNLIGHT	DIMENSI PRODUK (mm)	DAYA
PL-2263	WHITE BLUE	3.5”	P : 145 L : 145 T : 30	6W+3W
PL-2126	WHITE BLUE	5”	P : 195 L : 195 T : 30	12W+6W
PL-2186	WHITE BLUE	8”	P : 245 L : 245 T : 30	18W+6W

2 WARNA DALAM 1 LAMPU — PRO LED LED DECORATIVE



TYPE	WARNA	UKURAN DOWNLIGHT	DIMENSI PRODUK (mm)	DAYA
PL-0133	WHITE BLUE	2.5”	P : 105 L : 105 T : 33	3W+3W
PL-0163	WHITE BLUE	3.5”	P : 145 L : 145 T : 33	6W+3W
PL-0126	WHITE BLUE	5”	P : 195 L : 195 T : 33	12W+6W
MOTIF	A. ~ = MOTIF OMBAK C. = MOTIF BUBBLE B. S2 = MOTIF BATIK			

Keterangan :
P = Panjang
L = Lebar
T = Tebal
D = Diameter

LED LIGHTING

KAWACHI® Home Lighting
LED DECORATIVE

CEILING LED PRO LED



TYPE	WARNA	UKURAN DOWNLIGHT	DIMENSI PRODUK (mm)	CUTTING HOLE (mm)	DAYA
PL-7733	WHITE BLUE WHITE YELLOW WHITE SOFT WARM WHITE RGB*	2.5"	D : 105 T : 30	D: 70	3W+3W
PL-7763	WHITE BLUE WHITE YELLOW WHITE SOFT WARM WHITE RGB*	3.5"	D : 145 T : 30	D: 105	6W+3W
PL-7126	WHITE BLUE WHITE YELLOW WHITE SOFT WARM WHITE RGB*	5"	D : 195 T : 30	D: 155	12W+6W
PL-7186	WHITE BLUE WHITE YELLOW WHITE SOFT WARM WHITE RGB*	8"	D : 245 T : 30	D: 205	18W+6W

* Untuk produk RGB dilengkapi Remote Control



TYPE	WARNA	UKURAN DOWNLIGHT	DIMENSI PRODUK (mm)	CUTTING HOLE (mm)	DAYA
PL-8833	WHITE BLUE WHITE YELLOW WHITE SOFT WARM WHITE RGB*	2.5"	P : 105 L : 108 T : 30	70 x 70	3W+3W
PL-8863	WHITE BLUE WHITE YELLOW WHITE SOFT WARM WHITE RGB*	3.5"	P : 145 L : 145 T : 30	105 x 105	6W+3W
PL-8126	WHITE BLUE WHITE YELLOW WHITE SOFT WARM WHITE RGB*	5"	P : 195 L : 195 T : 30	155 x 155	12W+6W
PL-8186	WHITE BLUE WHITE YELLOW WHITE SOFT WARM WHITE RGB*	8"	P : 245 L : 245 T : 30	205 x 205	18W+6W



TYPE	WARNA	UKURAN DOWNLIGHT	DIMENSI PRODUK (mm)	CUTTING HOLE (mm)	DAYA
PL-6633	WHITE BLUE WHITE YELLOW WHITE SOFT WARM	2.5"	D : 105 T : 30	D: 70	3W+3W
PL-6663	WHITE BLUE WHITE YELLOW WHITE SOFT WARM	3.5"	D : 145 T : 30	D: 105	6W+3W
PL-6126	WHITE BLUE WHITE YELLOW WHITE SOFT WARM	5"	D : 195 T : 30	D: 155	12W+6W
PL-6186	WHITE BLUE WHITE YELLOW WHITE SOFT WARM	8"	D : 245 T : 30	D: 205	18W+6W
MOTIF	A. ~ = MOTIF OMBAK B. S2 = MOTIF BATIK		C. ❀ = MOTIF BUBBLE		



TYPE	WARNA	UKURAN DOWNLIGHT	DIMENSI PRODUK (mm)	CUTTING HOLE (mm)	DAYA
PL-9709	. SUPER WHITE .. WARM WHITE ... SOFT WARM	3"	D : 120 T : 40	D: 95	9W
PL-9712	. SUPER WHITE .. WARM WHITE ... SOFT WARM	4"	D : 160 T : 40	D: 125	12W
PL-9718	. SUPER WHITE .. WARM WHITE ... SOFT WARM	6"	D : 200 T : 40	D: 165	18W

Keterangan :
P = Panjang
L = Lebar
T = Tebal
D = Diameter

LED LIGHTING

KAWACHI® Home Lighting
LED DECORATIVE

CEILING LED
PRO LED



TYPE	WARNA	UKURAN DOWNLIGHT	DIMENSI PRODUK (mm)	CUTTING HOLE (mm)	DAYA
PL-9809	. SUPER WHITE .. WARM WHITE ... SOFT WARM	3"	P : 120 L : 120 T : 40	95 x 95	9W
PL-9812	. SUPER WHITE .. WARM WHITE ... SOFT WARM	4"	P : 160 L : 160 T : 40	125 x 125	12W
PL-9818	. SUPER WHITE .. WARM WHITE ... SOFT WARM	6"	P : 200 L : 200 T : 40	165 x 165	18W



TIPE	WARNA	UKURAN DOWNLIGHT	DIMENSI PRODUK (mm)	CUTTING HOLE (mm)	DAYA
PL-3306	○ SUPER WHITE ● WARM	4"	D : 120 T : 20	D: 105	6W
PL-3312	○ SUPER WHITE ● WARM	6"	D : 170 T : 20	D: 155	12W
PL-3318	○ SUPER WHITE ● WARM	8"	D : 225 T : 20	D: 205	18W



TYPE	WARNA	UKURAN DOWNLIGHT	DIMENSI PRODUK (mm)	CUTTING HOLE (mm)	DAYA
PL-4406	○ SUPER WHITE ● WARM	4"	P : 120 L : 120 T : 20	105 x 105	6W
PL-4412	○ SUPER WHITE ● WARM	6"	P : 170 L : 170 T : 20	155 x 155	12W
PL-4418	○ SUPER WHITE ● WARM	8"	P : 225 L : 225 T : 20	205 x 205	18W



TYPE	WARNA	UKURAN DOWNLIGHT	DIMENSI PRODUK (mm)	DAYA
PL-5506	○ SUPER WHITE ● WHITE WARM	4"	P : 120 L : 120 T : 32	6W
PL-5512	○ SUPER WHITE ● WHITE WARM	6"	P : 155 L : 155 T : 32	12W
PL-5518	○ SUPER WHITE ● WHITE WARM	8"	P : 225 L : 225 T : 32	18W



TYPE	WARNA	UKURAN DOWNLIGHT	DIMENSI PRODUK (mm)	DAYA
PL-6606	○ SUPER WHITE ● WHITE WARM	4"	P : 120 L : 120 T : 32	6W
PL-6612	○ SUPER WHITE ● WHITE WARM	6"	P : 155 L : 155 T : 32	12W
PL-6618	○ SUPER WHITE ● WHITE WARM	8"	P : 225 L : 225 T : 32	18W

Keterangan :
P = Panjang
L = Lebar
T = Tebal
D = Diameter

KAWACHI®

LED LIGHTING

KAWACHI® TRACK LIGHT COB

AC 150-240V (50-60Hz)
Tahan hingga 15.000 jam
-20~+40°C
Area Pencahayaan 24°
ABS + AL
3000K - Warm White | 4000K - Natural White
6500 - Super White



TLC-10P	TLC-20P	TLC-30P
10 Watt	20 Watt	30 Watt
⌀50x138mm	⌀65x150mm	⌀75x170mm
1000LM±10%	2000LM±10%	3000LM±10%



TLC-10H	TLC-20H	TLC-30H
10 Watt	20 Watt	30 Watt
⌀50x138mm	⌀65x150mm	⌀75x170mm
1000LM±10%	2000LM±10%	3000LM±10%

ENERGY save 90%

IP20

KAWACHI® TRACK LIGHT MINI



TLM-3H/3P	TLM-5H/5P	TLM-7H/7P
3 Watt	5 Watt	7 Watt
330LM±10%	550LM±10%	770LM±10%
⌀3.2x5cm	⌀3.2x6cm	⌀4x7cm

TLM-9H/9P	TLM-12H/12P
9 Watt	12 Watt
990LM±10%	1320LM±10%
⌀4x8cm	⌀5x10cm

WARNA BODI
H: HITAM
P: PUTIH

AC 100-240V (50-60Hz)
Tahan hingga 25.000 jam
-20°C ~ 40°C
3000K - Warm White | 4000K - Natural White
6500K - Super White

Area Pencahayaan 24°
High Lumen 110Lm/W
AL + PC

SNI

KAWACHI® TRACK LIGHT BAR

AC 150-240V (50-60Hz)
Tahan hingga 15.000 jam
-20~+40°C

Area Pencahayaan 120°
PC + AL
3000K - Warm White | 4000K - Natural White
6500 - Super White

ENERGY save 90%

IP20



TLB-10P	TLB-20P	TLB-30P
10 Watt	20 Watt	30 Watt
214x33x57mm	346x33x57mm	478x33x57mm
1000LM±10%	2000LM±10%	3000LM±10%



TLB-10H	TLB-20H	TLB-30H
10 Watt	20 Watt	30 Watt
214x33x57mm	346x33x57mm	478x33x57mm
1000LM±10%	2000LM±10%	3000LM±10%

KAWACHI® TRACK LIGHT BRACKET



REL-100P	REL-150P	REL-200P
1 Meter	1.5 Meter	2 Meter

OPERASI TEGANGAN
AC 220V 50Hz 5A

BAHAN
BODI ALUMINIUM



REL-100H	REL-150H	REL-200H
1 Meter	1.5 Meter	2 Meter



KAWACHI

LED LIGHTING

KAWACHI

LAMPU TAMAN TANCAP



PAR-1605T
5 Watt
500LM ±10%

PAR-1607T
7 Watt
700LM ±10%

PAR-1609T
9 Watt
900LM ±10%

ENERGY save 90%
PROTEKSI GRADE IP65

AC 150-240V (50-60Hz)
Tahan hingga 20.000 jam
-20~+40°C
65x53x195mm
Area Pencahayaan 60°
Sudut Rotasi 150° (Atas-Bawah)
PC + Aluminium
3000K - Warm White | 6700K - Natural White



PAR-3012
12 Watt
1200LM ±10%
⌀95x105mm

AC 150-240V (50-60Hz)
Tahan hingga 20.000 jam
-20~+40°C
Warna Lampu:
Warm White, Super White, Red, Green & Blue

LAMPU TAMAN DINDING



PAR-1605D
5 Watt
500LM ±10%

PAR-1607D
7 Watt
700LM ±10%

PAR-1609D
9 Watt
900LM ±10%

ENERGY save 90%
PROTEKSI GRADE IP65

AC 150-240V (50-60Hz)
Tahan hingga 20.000 jam
-20~+40°C
65x53x119mm
Area Pencahayaan 60°
Sudut Rotasi 150° (Atas-Bawah)
PC + Aluminium
3000K - Warm White | 6700K - Natural White



PAR-3816
16 Watt
1600LM ±10%
⌀121x121mm

AC 150-240V (50-60Hz)
Tahan hingga 20.000 jam
-20~+40°C
Warna Lampu:
Warm White, Super White, Red, Green & Blue


KAWACHI
TRACK LIGHT CONNECTOR BRACKET



REC-I2P/I2H
Hitam / Putih



REC-L2P/L2H
Hitam / Putih



REC-T2P/T2H
Hitam / Putih



REC-X2P/X2H
Hitam / Putih



REC-B2P/B2H
Hitam / Putih
⌀10cm



REC-P2P/P2H
Hitam / Putih
Panjang 18.5cm

KAWACHI EMERGENCY LAMP
SOLAR GARDEN LIGHT

Sensor Cahaya
Panel Surya 5.5V 1.5W Crystalline
Tahan hingga 25.000 jam
IP 65
ABS + PS
-20°C - 40°C
Cahaya Terang
Waktu Pengisian 6-8 Jam



SGL-01 7 LED
Lithium 18650 3.7V 1200mAh
9.2x28.5x42cm
Uk. Panel Surya 8x13.6cm
White/Warm/RGB

7 LED



SGL-01 18 LED
Lithium 18650 3.7V 1200mAh
9.2x28.5x42cm
Uk. Panel Surya 8x13.6cm
White/Warm/RGB

18 LED

KAWACHI

LED LIGHTING

KAWACHI T8 LED STRAIGHT TUBE LIGHT

SOLUSI PENCAHAYAAN RUANGAN MAKSIMAL DENGAN BIAYA MINIMAL

PRO LED & META BRIO









T8-K9W
9 Watt
1000LM ±10%
Ø25.5x600mm
AC 170-265V (50-60Hz)
Tahan hingga 15.000 jam
Fitting G13
Warm White & Super White

T8-K18W
18 Watt
2160LM ±10%
Ø25.5x1200mm
AC 170-265V (50-60Hz)
Tahan hingga 15.000 jam
Fitting G13
Warm White & Super White

T8-K20W
20 Watt
2400LM ±10%
Ø25.5x1200mm
AC 170-265V (50-60Hz)
Tahan hingga 15.000 jam
Fitting G13
Warm White & Super White

MB-T820W
20 Watt
2000LM ±10%
-10°C~+40°C
1200x28x24cm
AC 150-240V (50-60Hz)
Tahan hingga 15.000 jam
Sudut Penyinaran 300°
Fitting G13
Warm White & Super White

KAWACHI LED AQUARIUM LIGHT

Bisa dicelupkan ke dalam air



T4-30K3
4 Watt
Panjang: 260mm Diameter: 18.5mm
AC 220-240V (50Hz)
3 Steps Warna Lampu : White/Blue, Red/Green/Blue & 4 Colors (White/Red/Green/Blue)

T4-50K3
8 Watt
Panjang: 415mm Diameter: 18.5mm
AC 220-240V (50Hz)
3 Steps Warna Lampu : White/Blue, Red/Green/Blue & 4 Colors (White/Red/Green/Blue)


T4-80K3
14 Watt
Panjang: 760mm Diameter: 18.5mm
AC 220-240V (50Hz)
3 Steps Warna Lampu : White/Blue, Red/Green/Blue & 4 Colors (White/Red/Green/Blue)



KAWACHI LED LUMINER T8



SUSU (S)



SUSU (S)



PRISMATIK (P)

ZA-20S	
20 Watt	PP + SPCC
2000LM ±10%	Area Pencahayaan 150°
60x7.5x2.4cm	Tahan hingga 15.000 jam
AC 150-240V (50-60Hz)	6700K Super White & IP 20

ZA-40S	
40 Watt	PP + SPCC
4000LM ±10%	Area Pencahayaan 150°
120x7.5x2.4cm	Tahan hingga 15.000 jam
AC 150-240V (50-60Hz)	6700K Super White & IP 20

ZB-20S	
20 Watt	PP + SPCC
2000LM ±10%	Area Pencahayaan 150°
60x6.2x2.4cm	Tahan hingga 15.000 jam
AC 150-240V (50-60Hz)	6700K Super White & IP 20

ZB-60S	
60 Watt	PP + SPCC
6000LM ±10%	Area Pencahayaan 150°
120x6.2x2.4cm	Tahan hingga 15.000 jam
AC 150-240V (50-60Hz)	6700K Super White & IP 20

ZB-20P	
20 Watt	PP + SPSS
2000LM ±10%	Area Pencahayaan 150°
60x6.2x2.4cm	Tahan hingga 15.000 jam
AC 150-240V (50-60Hz)	6700K Super White & IP 20

ZB-60P	
60 Watt	PP + SPSS
6000LM ±10%	Area Pencahayaan 150°
120x6.2x2.4cm	Tahan hingga 15.000 jam
AC 150-240V (50-60Hz)	6700K Super White & IP 20

KAWACHI SPOTLIGHT LAMP HOUSING









LF-02H/P IB DOWNLIGHT
Fitting: MR-16/GU5.3
AC100-240V (50-60Hz)
93x40mm, Cutting Hole: Ø 80mm
IP20
Bahan Aluminium
Sudut Rotasi 30°

LF-03H/P OB DOWNLIGHT
Fitting: MR-16/GU5.3
AC100-240V (50-60Hz)
80x95mm
IP20
Sudut Rotasi 30°

LF-05H/P LAMPU REL
Fitting E27
AC100-240V (50-60Hz)
100x52x130mm
IP20
135°(Atas-Bawah) 350°(Kanan-Kiri)

LF-06H/P CEILING/ PLAFON
Fitting E27
AC100-240V (50-60Hz)
100x52x120mm
IP20
135°(Atas-Bawah) 350°(Kanan-Kiri)



Cocok Digunakan Untuk :



WARNA:
H = HITAM
P = PUTIH

LED LIGHTING

KAWACHI® T8 LED TUBE BRACKET

PRO LED



BRC-06
P : 62cm, L : 3.2cm, T : 1.5cm + 3cm

BRC-08
P : 123cm, L : 3.3cm, T : 1.5cm + 3cm

KAWACHI® GARDEN LAMP HOUSING



LF-30T
PAR 30
AC 100-240V (50-60Hz)
118x126x350mm
135° (Kanan-Kiri, Atas-Bawah)
IP65



LF-38T
PAR 38
AC 100-240V (50-60Hz)
165x151x366mm
135° (Kanan-Kiri, Atas-Bawah)
IP65

KAWACHI® PLASTIC LAMP FITTING




IP65 CE

1 x 45w **E27**

LF-01
AC 220-240V (50-60Hz)
Uk. Bola Lampu ⌀52mm x T. 180mm
Uk. Kap Lampu ±32cm x ±15cm x ±13cm
Uk. Tiang ±37cm (Sudut 120°)

ORNAMENT LAMP HOUSING



LF-30D
PAR 30
AC 100-240V (50-60Hz)
118x126x183mm
135° (Kanan-Kiri, Atas-Bawah)
IP65

LF-38D
PAR 38
AC 100-240V (50-60Hz)
165x151x194mm
135° (Kanan-Kiri, Atas-Bawah)
IP65



KAWACHI® SPARKLE



RK-20W
20 Watt
2600LM±10%
Holder E27

RK-30W
30 Watt
3900LM±10%
Holder E27

- AC 85-240V (50-60Hz)
- -20~+50°C
- Tahan hingga 15.000 jam
- Area Pencahayaan 360°
- High Lumen Led 130Lm/W
- PA + PS + AL
- 3000K - Warm White | 6700K - Super White

ENERGY saving

KAWACHI® LAMPU 3 IN 1 (BELAJAR, DINDING & EMERGENCY)



- Fungsi Dimmer
- Angle bisa diputar 180°
- 3 Warna Pencahayaan
- Bebas Blue-Light
- Tidak Silau



KC-230
40pcs LED
Baterai Lithium 1200mAh
30cm

KC-235
46pcs LED
Baterai Lithium 2400mAh
35cm


KC-240
56pcs LED
Baterai Lithium 2400mAh
40cm

- Kelengkapan: 1 Lampu Bar & 1 Kabel USB
- Mode Pencahayaan: Sentuh Tekan & Dimmer
- Input 5V-2A

KAWACHI

LED LIGHTING

KAWACHI LAMPU KABINET CAS





Fungsi Dimmer

KC-120	KC-130	KC-140
1.5 Watt	3 Watt	3.5 Watt
Baterai Polymer 400mAh	Baterai Polymer 600mAh	Baterai Polymer 1500mAh
20cm	30cm	40cm

- Kelengkapan: 1 Lampu Kabinet & 1 Kabel USB
- Mode Pencahayaan: Sentuh Aktif & Sensor Gerak
- Pilihan Warna: Silver & Black

KAWACHI VENUS

LUMINER SOROT TENAGA SURYA



LTS-S120	LTS-S190
120 Watt	190 Watt
190x168x58mm	265x220x65mm
Panel Surya: 6V 8W, 250x205x17mm	Panel Surya: 6V 12W, 300x205x17mm
3.2V 5000mAh 16WH	3.2V 10000mAh 32WH

LTS-S260
260 Watt
300x250x82mm
Panel Surya: 6V 20W, 390x300x17mm
3.2V 15000mAh 48WH

LED CHIP LUMEN TINGGI CAHAYA SUPER TERANG 180Lm/W

DESAIN KATUB UDARA EKSKLUSIF ANTI EMBUN

- PANEL SURYA MONOCRYSTALLINE SILICON
- ISI ULANG HINGGA 2000 KALI
- SENSOR CAHAYA
- IP65
- LAMA PENCAHAYAAN 12 HINGGA 18 JAM
- BATERAI INDIKATOR
- 5 STEP DIMMING
- 30.000 JAM

Dilengkapi 2 meter kabel sambungan pada panel surya
*2 x 0.5mm x 2 meter bahan tembaga merah/Red Copper
*diameter 0.5mm untuk memastikan penggunaan & efisensi keluaran yang aman

3000K - Warm White
6500K - Super White

SNI

KAWACHI SOLARIS







SOL-100W	SOL-200W	SOL-300W
100 Watt	200 Watt	300 Watt
21x35x4.8cm	21x48x4.8cm	21x58x5cm
Panel Surya 5V 6W, 20.5x21cm	Panel Surya 5V 10W, 20.5x34cm	Panel Surya 5V 15W, 20.5x43.8cm
3.2V 5000mAh 16WH	3.2V 10000mAh 32WH	3.2V 15000mAh 48WH

- Sensor Cahaya
- Tahan hingga 30.000 jam
- High Lumen 180Lm/W
- Sensor Gerak
- 10 Step Dimming
- Panel Monocrystalline Silicon
- Remot Kontrol Cerdas
- IP 65
- 3000K - Warm White | 6500K - Super White

SNI

KAWACHI STREET LIGHT LAMPU JALAN COBRA



CA-50W
50 Watt
COB LED 50W x 1pcs
⌀50mm 43x16x6.5cm
5000LM ±10%



CA-100W
100 Watt
COB LED 50W x 2pcs
⌀60mm 60x20.5x7.5cm
10000LM ±10%



CA-150W
150 Watt
COB LED 50W x 3pcs
⌀60mm 68x22x7.5cm
15000LM ±10%



CA-200W
200 Watt
COB LED 50W x 4pcs
⌀60mm 80x24x7.5cm
20000LM ±10%



CA-250W
250 Watt
COB LED 50W x 5pcs
⌀60mm 92x26x8cm
25000LM ±10%

- Tahan hingga 15.000 jam
- IP 65
- AC 175-240V (50-60Hz)
- Die Cast Aluminium + Kaca Lens

SNI

LED LIGHTING

KAWACHI FLOOD LIGHT BLADE

WIDE VOLTAGE AC95-265V
HIGH LUMEN LED 120LM/W

Tahan hingga 25.000 jam | AL + GLASS
Area Pencahaayan 120°-150° | 3000K - Warm White | 6500K - Super White



BK-10W	BK-20W	BK-30W
10 Watt	20 Watt	30 Watt
10x8x3.2cm	11.8x9.3x3.2cm	16x12x3.2cm

BK-50W	BK-100W
50 Watt	100 Watt
20.5x16x3.2cm	27x21x3.2cm

ENERGY save 90% | IP65

BK-150W	BK-200W	BK-10R (RGB)
150 Watt	200 Watt	10 Watt
32x23x3.2cm	37.7x27.7x3.2cm	12x8.6x2.8cm



RGB | 16 Warna | 4 Mode Cahaya


KAWACHI MULTIFUNCTION SOLAR PANEL LAMP





FHS-10
80 SMD LED (10W setara 100W)
Baterai Lithium 5000mAh
Tahan hingga 7 jam
Putih, Kuning, Putih Kuning & SOS
12.3x4.3x10cm





FHS-50
288 SMD LED (50W setara 500W)
Baterai Lithium 10000mAh
Tahan hingga 7 jam
Putih, Kuning, Putih Kuning, SOS & Darurat
21x17x5.5cm

KAWACHI FLOOD LIGHT



ACE-10W	ACE-20W	ACE-30W
10 Watt	20 Watt	30 Watt
12.5x17x4.5cm	18x21x5.5cm	19x24x5.5cm

ACE-50W	ACE-100W	ACE-150W
50 Watt	100 Watt	150 Watt
23x28.5x6.5cm	28x32x7.5cm	34x37.5x9cm

AC 85-265V | Color: Cool Daylight

LED LIGHTING

KAWACHI® Home Lighting LED LUMINER WALL LAMP



WL-2W

2 Watt
2 pcs LED
200LM ±10%
75x80x35mm



WL-4W

4 Watt
4 pcs LED
400LM ±10%
120x80x40mm



WL-6W

6 Watt
6 pcs LED
600LM ±10%
170x80x40mm



WL-8W

8 Watt
8 pcs LED
800LM ±10%
220x80x45mm



WL-10W

10 Watt
10 pcs LED
1000LM ±10%
270x80x45mm


MODEL	MODEL	MODEL
ALU OUTDOOR	ABS OUTDOOR	ABS INDOOR
OPERASI TEGANGAN	OPERASI TEGANGAN	OPERASI TEGANGAN
AC85-265V (50-60Hz)	AC85-265V (50-60Hz)	AC160-265V (50-60Hz)
BAHAN PRODUK	BAHAN PRODUK	BAHAN PRODUK
ALUMINIUM + DRIVER WATERPROOF	ABS + DRIVER WATERPROOF	ABS + DRIVER INDOOR
PROTEKSI GRADE	PROTEKSI GRADE	PROTEKSI GRADE
IP 65	IP 65	IP 20
LAMA PEMAKAIAN	LAMA PEMAKAIAN	LAMA PEMAKAIAN
15.000 JAM*	10.000 JAM*	10.000 JAM*

ENERGY save w90%

TERSEDIA :

- ALU OUTDOOR (WARM WHITE & RGB)
- ABS OUTDOOR (WARM WHITE & RGB)
- ABS INDOOR (WARM WHITE)

KAWACHI® STRIP LED INDOOR HIGH LUX • DRIVERLESS • PREMIUM LIGHT



KSIL-12069



KSIL-120509

10 Watt/Meter | 120 LED/Meter — LED STRIP AC 220V TANPA TRAFO

Tersedia Tanda Potong Setiap 10cm

- Tegangan AC 220-240V / 50-60Hz
- CRI 85+
- Gratis Perekat
- 9mm (Lebar) x 3mm (Tebal)
- IP65
- Lumen 700LM
- Area Pencahayaan 120°
- Masa Pakai 15 Tahun* 15.000 jam (3 jam/hari)

- ☐ WARM WHITE 3000°K
- ☐ NATURAL WHITE 4000°K
- ☐ COOL WHITE 6500°K
- ☐ BLUE

SNI

LED LIGHTING


KAWACHI LED NIGHT LIGHT



KG-01
0.5 Watt
220V / 50-60Hz
Bahan HISP + PP
Cahaya Putih
Mode On / Off
6.8x5x7.3cm
Warna Case: Putih / Pink



KG-02
0.6 Watt
220V / 50-60Hz
Bahan HISP + PP
Cahaya Putih
Mode Sensor Cahaya
6.5x4x7.3cm



KG-03
0.6 Watt
220V / 50-60Hz
Bahan ABS + PP
Cahaya Kuning
Mode Sensor Cahaya
8.4x5.1x8.4cm

KAWACHI FISMAX FISHING LAMP



FM-1000W
1000 Watt
120 Lm/W
AC 180-280V
22x26x15cm
LED COB
Area Pencahayaan 110°
IP65
Cyan / Yellow

FM-1200W
1200 Watt
120 Lm/W
AC 180-280V
23x26x15cm
LED COB
Area Pencahayaan 110°
IP65
Cyan / Yellow

SNI

KAWACHI

SENTER KEPALA





LY-P05 WATERPROOF

5 Watt LED
Baterai Lithium 18650 1200mAh
Normal, Terang, SOS & Dimmer
55x74x66mm



LY-105B

5 Watt Super LED
Baterai Lithium 18650 1200mAh
Normal & Terang
46x75x64mm



LW-406 WATERPROOF

6 Watt Super LED
Baterai Lithium 18650 1200mAh
Normal & Terang
51x71x71mm



LY-217L

7 Watt Super LED
Baterai Lithium 18650 1500mAh
Normal & Terang
53x81x74mm



LY-327K

7 Watt Super LED
Baterai Lithium 18650 1500mAh
Normal & Terang
45x71x61mm



LY-138E

8 Watt LED
Baterai Lithium 18650 2800mAh
Normal, Terang & SOS
80x70x98mm



LY-237L

7 Watt LED
Baterai Lithium 18650 1200mAh
Normal, Terang & SOS
52x76x69mm
Indikator Baterai



LY-108D

20 Watt LED
Baterai Lithium 18650 2800mAh
Normal, Terang & SOS
83x86x82mm



LY-218L

8 Watt Super LED
Baterai Lithium 18650 2000mAh
Normal & Terang
50x40x80mm



LY-128A

8 Watt LED
Baterai Lithium 18650 1500mAh
Normal, Terang, SOS & Dimmer
51x77x72mm

KAWACHI

SENTER KEPALA



LY-239L

9 Watt LED
Baterai Lithium 18650 1500mAh
Normal, Terang & SOS
58x76x74mm
Indikator Baterai



LY-210D

30 Watt LED
Baterai Lithium 18650 4500mAh
Normal, Terang, SOS & Dimmer
86x87x87mm



LY-101M WATERPROOF

10 Watt SUPER LED
Baterai Lithium 18650 3000mAh
Normal, Terang, SOS & Dimmer
54x74x73mm
Indikator Baterai



LS-712A DIVING

12 Watt SUPER LED
Baterai Lithium 18650 3600mAh
Normal, Terang, SOS & Dimmer
68x83x73mm



LS-414B DIVING

15 Watt LED
Baterai Lithium 18650 2500mAh
Normal, Terang, SOS & Dimmer
84x74x90mm
Indikator Baterai



LY-1520A+ WATERPROOF

15 Watt + 20 Watt LED
Baterai Lithium 18650 5000mAh
Normal, Terang, SOS & SMD LED
⌀ 56x103mm 77x62x103mm
Indikator Baterai, Powerbank & Mode Darurat



LY-416C WATERPROOF

High Power 20 Watt
Baterai Lithium 18650 3600mAh
Normal, Terang, SOS & Dimmer
86x87x87mm
Indikator Baterai & Lubang Tripod



LS-718 DIVING

18 Watt LED
Baterai Lithium 18650 4400mAh
Normal, Terang & SOS
85x85x85mm



LY-203B DIVING

20 Watt LED
Baterai Lithium 18650 5000mAh
Normal, Terang, SOS & Dimmer
58x72x74mm
Indikator Baterai



LY-159M

15 Watt LED
Baterai Lithium 21700 5000mAh
Normal, Terang, SOS & Dimmer
50x75x80mm
85x86x92mm
Indikator Baterai



LV-20 WATERPROOF

COB 20 Watt + 5 Watt LED
Baterai Lithium 18650 1200mAh
Motion Sensor
Red Light SOS
53x35x100mm



LY-322C

50 Watt LED
Baterai Lithium 18650 4500mAh
Normal, Terang & SOS
92x85x94mm



LY-422B WATERPROOF

50 Watt LED
Baterai Lithium 18650 4500mAh
Switch 1: Terang, Normal & Hemat Daya Switch 2: Terang & SOS




LY-252Z

25 Watt LED
Baterai Lithium 18650 1800mAh
Terang, Normal, Dimmer SOS & Zoom In - Out
39x79x68mm



LK-A25

25 Watt LED
Baterai Lithium 18650 5000mAh
Normal, Terang & SOS
82x90x81mm



LY-2507

25 Watt + COB 7 Watt LED
Baterai Lithium 18650 5200mAh
Terang, SOS & COB
82x82x85mm



LY-430C WATERPROOF

High Power 50 Watt
Baterai Lithium 18650 4500mAh
Normal, Terang, SOS & Dimmer
107x87x108mm
Indikator Baterai & Lubang Tripod



LY-301Z WATERPROOF

30 Watt LED
Baterai Lithium 18650 2500mAh
Normal, Terang & Zoom in-Out
38x72x70mm
Lensa Kuning



LY-300Z

30 Watt LED
Baterai Lithium 18650 2500mAh
Normal, Terang, SOS, Dimmer & Zoom in-Out
36x77x89mm



LY-630A

30 Watt LED
Baterai Lithium 18650 4500mAh
Normal, Terang & SOS
81x88x95mm

KAWACHI

SENTER KEPALA



LB-836A WATERPROOF

High Power 35 Watt
Baterai Lithium 18650 6000mAh
Normal, Terang, SOS & Dimmer
89x85x97mm
Display Baterai



LS-740C

40 Watt LED
Baterai Lithium 18650 5600mAh
Normal, Terang, SOS & Dimmer
93x73x91mm
Indikator Baterai



LP-840G

40 Watt Hi-Tech
Baterai Lithium 21700 7000mAh
Normal, Terang, Sangat Terang & SOS
59x48x74cm
Display Baterai 100%



LY-340A

40 Watt
Baterai Lithium 18650 5000mAh
Normal, Terang & SOS
83x90x95cm
Lensa Kuning & Lubang Tripod



LY-450C+ WATERPROOF

High Power 50 Watt LED
Baterai Lithium 18650 6000mAh
Normal, Terang, SOS & Dimmer
86x87x91mm
Indikator Baterai



LB-855A

55 Watt Super LED
Baterai Lithium 18650 10500mAh
Normal, Terang & SOS
103x91x90mm
Lubang Tripod



LL-455S WATERPROOF

55 Watt Super LED
Baterai Polymer 18650 8000mAh
Sangat Terang, Terang, Normal, SOS & Dimmer
88x84x83mm
Indikator Baterai & Lubang Tripod



LY-760A WATERPROOF

60 Watt
Baterai Lithium 18650 6000mAh
Normal, Terang & SOS
87x74x75mm



LY-460A WATERPROOF

60 Watt LED
Baterai Lithium Polimer 8000mAh
Normal, Terang, SOS & Dimmer
88x71x80mm
Indikator Baterai



LY-470C WATERPROOF

85 Watt LED
Baterai Lithium 18650 9000mAh
Normal, Terang, SOS & Dimmer
107x87x102mm
Indikator Baterai & Lubang Tripod



LG-701X

70 Watt Super LED
Baterai Lithium 18650 7000mAh
Normal, Terang & SOS
Senter: ⌀ 82x80mm Badan: 89x111x44mm
Indikator Baterai



LK-W70 WATERPROOF

70 Watt
Baterai Lithium 18650 5000mAh
Normal, Terang & SOS
90x89x96mm
Indikator Baterai



LY-380T

80 Watt LED
Baterai Lithium 18650 7500mAh
Normal, Terang, SOS & Dimmer
93x93x110mm



LY-385T POWERBANK

85 Watt
Baterai Lithium 18650 12500mAh
Normal, Terang & SOS
Senter: ⌀ 10.6x7cm Badan: 12x7.6x4cm
Indikator Baterai



LY-390T POWERBANK

90 Watt Super Bright LED
Baterai Lithium 18650 11000mAh
Normal, Terang & SOS
Senter: ⌀ 103x92mm Badan: 91x72x28mm
Indikator Baterai



LG-901P

90 Watt Super LED
Baterai Lithium 18650 10000mAh
Normal, Terang, SOS & Dimmer
Senter: ⌀ 113x107mm Badan: 90x134x38mm
Indikator Baterai



LS-790G

90 Watt Hi-Tech LED
Baterai Lithium 18650 10000mAh
Normal, Terang, SOS & Dimmer
105x80x108mm
Indikator Baterai



LP-890G

90 Watt Hi-Tech LED
Baterai Lithium 21700 20000mAh
Switch 1: Normal, Terang, Sangat Terang & SOS Switch 2: LED Putih & Darurat (Biru-Merah)
Senter: ⌀ 85x85mm Badan: 92x75x35mm
Display Baterai 100%



LY-902J

90 Watt LED
Baterai Lithium 18650 5000mAh
Normal, Terang & SOS
103x72x115mm



LG-951P

95 Watt LED Chip P70
Baterai Lithium 18650 12500mAh
Normal, Terang & SOS
Senter Kepala: ⌀ 118x121.5mm Dudukan Senter: 94.5x33mm
Indikator Baterai, Lubang Tripod & 2 in 1 Modular Headlamp

KAWACHI®

SENTER KEPALA



LP-100G

100 Watt LED + 6pcs BIG SMD LED
Baterai Lithium 18650 14500mAh
Dimmer
Senter: ⍁ 105x96mm Badan: 115x113x34mm



LP-150H

150 Watt LED + 6pcs BIG SMD LED
Baterai Lithium 18650 20000mAh
Dimmer
Senter: ⍁ 118x131mm Badan: 115x113x34mm



LP-8150H

150 Watt Hi-Tech LED
Baterai Lithium 21700 25000mAh
Switch 1: Normal, Terang, Sangat Terang & SOS Switch 2: LED Putih & Darurat (Biru-Merah)
Senter: ⍁ 117x115mm Badan: 92x98x35mm
Display Baterai 100% & Mode Darurat



LY-345DM

45 Watt LED
Baterai Lithium 18650 4000mAh
Dimmer
86x105x100mm
Display Baterai 10H
Powerbank



LL-445D WATERPROOF

50 Watt LED
Baterai Polymer 8000mAh
Normal, Terang, SOS & Dimmer
88x84x83mm
Display Baterai 100% & Lubang Tripod



LY-200Z WATERPROOF

20 Watt LED
Baterai Lithium 18650 2500mAh
Normal, Terang, Dimmer, SOS & Zoom in-Out
36x76x78mm
Indikator Baterai



LY-500Z WATERPROOF

50 Watt LED
Baterai Lithium 18650 5000mAh
Normal, Terang, Dimmer, SOS & Zoom in-Out
46x77x87mm
Indikator Baterai



LY-600Z WATERPROOF

60 Watt LED
Baterai Lithium 18650 5600mAh
Normal, Terang, Sangat Terang & Zoom in-Out
42x78x80mm
Indikator Baterai & Lensa Kuning



LY-1500Z POWERBANK

150 Watt LED + COB 20 Watt
Baterai Lithium 18650 20000mAh
Senter Depan: Sangat Terang, Terang, Normal,SOS & Zoom In-Out COB LED: Sangat Terang, Terang & Normal
Senter: ⍁ 60x80mm Badan baterai: 88x42x108mm
Indikator Baterai, Lensa Kuning & Singlepod



LY-995A

95 Watt LED + COB 20 Watt
Baterai Lithium 18650 12000mAh
Terang, Normal, SOS & COB LED
Senter: ⍁ 103x81mm Badan baterai: 82x31x107mm
Indikator Baterai & Powerbank



LY-100Z

100 Watt LED
Baterai Lithium 18650 10000mAh
Sangat Terang, Terang, Normal, SOS dan Zoom IN & OUT
Senter: ⍁ 45x104mm Badan baterai: 105x80x30mm
Indikator Baterai & IP65



LC-100

100 Watt COB LED
Baterai Lithium 21700 9000mAh
Putih, Kuning, Putih Kuning, SOS & Dimmer
Senter: ⍁ 113x124mm Badan baterai: 99x140x73mm



KD-905

5 Watt LED CHIP 26
3 pcs Baterai AA
Normal & Terang
⍁ 65x67mm



LY-135A

5 Watt LED
Baterai Lithium 18650 1200mAh
Normal, Terang, SOS & Dimmer
52x73x68mm



LY-205A WATERPROOF

5 Watt LED CHIP 32
Baterai Lithium 18650 1200mAh
Normal, Terang, SOS & Dimmer
55x74x66mm



LY-215A

5 Watt SUPER LED
Baterai Lithium 18650 1200mAh
Normal & Terang
52x73x65mm



LY-100ZZ

10 Watt LED
Baterai Lithium 18650 1200mAh
Normal, Terang, SOS, Dimmer & Zoom In - Out
40x77x85mm
Waterproof



LY-102M WATERPROOF

10 Watt
Baterai Lithium 18650 2000mAh
Normal, Terang & SOS
54x78x71mm
Display Baterai



LY-120Z

12 Watt LED
Baterai Lithium 18650 1200mAh
Normal, Terang, SOS & Zoom In - Out
76x45x79mm



LY-150Z

15 Watt LED
Baterai Lithium 18650 4000mAh
Normal, Terang, SOS, Dimmer & Zoom In - Out
80x55x78mm

KAWACHI

SENTER KEPALA



LY-151Z

15 Watt LED
Baterai Lithium 18650 1200mAh
Normal, Terang, SOS & Zoom In - Out
38x77x79mm
IP46



LY-201Z

20 Watt LED
Baterai Lithium 18650 3000mAh
Putih Terang, Putih Normal, Putih SOS, Kuning Terang, Putih Kuning, Dimmer & Zoom In - Out
39x77x85mm



LY-421A WATERPROOF

High Power 22 Watt
Baterai Lithium 18650 4000mAh
Normal, Terang, SOS & Dimmer
86x71x91mm
Indikator Baterai & Lubang Tripod



LK-B25

High Power 25 Watt
Baterai Lithium 18650 3000mAh
Normal, Terang & SOS
83x86x94mm



LY-250Z

High Power 25 Watt
Baterai Lithium 18650 3000mAh
Normal, Terang, SOS, Dimmer & Zoom In - Out
58x75x85mm
IP46



LY-525A

25 Watt
Baterai Lithium 18650 5000mAh
Normal, Terang, SOS & Dimmer
85x86x100mm



LK-W25 WATERPROOF

High Power 25 Watt
Baterai Lithium 18650 2500mAh
Normal, Terang, SOS & Dimmer
85x84x84mm
Indikator Baterai



LY-302Z

30 Watt LED
Baterai Lithium 18650 2500mAh
Normal, Terang, SOS, Dimmer & Zoom In - Out
36x77x89mm
Indikator Baterai



LY-3009C WATERPROOF

30 Watt + COB 9W
Baterai Lithium 18650 3000mAh
Normal, Terang, SOS, Dimmer & COB LED
75x60x90mm



LS-730G DIVING

High Power 30 Watt
Baterai Lithium 18650 3000mAh
Normal, Terang & SOS
65x101x91mm
Tombol Pengunci



LY-431B ARMY

High Power 30 Watt
Baterai Lithium 18650 4000mAh
Normal, Terang, SOS & Dimmer
85x72x94mm
Display Baterai, Waterproof & Lubang Tripod



LY-431B NAVY

High Power 30 Watt
Baterai Lithium 18650 4000mAh
Normal, Terang, SOS & Dimmer
85x72x94mm
Display Baterai, Waterproof & Lubang Tripod



LK-W35 WATERPROOF

High Power 35 Watt
Baterai Lithium 18650 4000mAh
Normal, Terang, SOS & Dimmer
85x84x84mm
Display Baterai



LY-400Z

High Power 40 Watt
Baterai Lithium 18650 4000mAh
Normal, Terang, SOS, Dimmer & Zoom In - Out
91x91x69mm
Display Baterai & IP46



LY-541A

High Power 40 Watt
Baterai Lithium 18650 4000mAh
Normal, Terang, SOS & Dimmer
90x73x100mm
Display Baterai & Lubang Tripod



LY-450Z

High Power 45 Watt
Baterai Lithium 18650 6000mAh
Normal, Terang, SOS, Dimmer & Zoom In - Out
91x91x79.5mm
Display Baterai & IP46



LY-350Z

High Power 35 Watt
Baterai Lithium 18650 4000mAh
Normal, Terang, SOS, Dimmer & Zoom In - Out
68x87x87mm



LY-3525W

35 Watt + 25 Watt
Baterai Lithium 18650 5000mAh
Terang Sorot, Normal Sorot, Terang Sebar, Normal Sebar, SOS & Dimmer
52x74x83mm



LY-5010C WATERPROOF

50 Watt + COB 10 Watt
Baterai Lithium 18650 4000mAh
Normal, Terang, SOS, Dimmer & COB LED
88x72x102mm



LY-550A

50 Watt LED
Baterai Lithium 18650 7500mAh
Normal, Terang, SOS & Dimmer
96x92x110mm

KAWACHI

SENTER KEPALA



LY-456B ARMY

High Power 60 Watt
Baterai Lithium 18650 6000mAh
Normal, Terang, SOS & Dimmer
89x73x94mm
Display Baterai & Lubang Tripod



LY-456B NAVY

High Power 60 Watt
Baterai Lithium 18650 6000mAh
Normal, Terang, SOS & Dimmer
89x73x94mm
Display Baterai & Lubang Tripod



LY-465A WATERPROOF

High Power 65 Watt
Baterai Lithium 18650 6000mAh
Normal, Terang, SOS & Dimmer
88x70x100mm
Indikator Baterai



LY-651Z

65 Watt
Baterai Lithium 18650 5000mAh
Normal, Terang, SOS, Dimmer & Zoom In - Out
45x70x95mm
Indikator Baterai



LY-571A

High Power 70 Watt
Baterai Lithium 18650 6000mAh
Normal, Terang, SOS & Dimmer
98x83x105mm
Display Baterai & Lubang Tripod



LS-70G

70 Watt LED
Baterai Lithium 26800 8000mAh
Normal, Terang & SOS
92x122x95mm
Kacamata Renang & Tali Senter Kepala Menyelam



LY-3011W

30 Watt + 10 Watt LED
Baterai Lithium 18650 1500mAh
Normal Sorot, Terang Sorot, SOS, Normal Sebar, Terang Sebar & Dimmer
51x76x64mm
Indikator Baterai




LY-251Z WATERPROOF

25 Watt LED
Baterai Lithium 18650 4000mAh
Putih, Kuning, Putih Kuning SOS & Zoom In - Out
37x75x80
Waterproof



LS-725 DIVING

25 Watt LED
Baterai Lithium 21700 3000mAh
Terang
61x91x75mm
Display Baterai & Kacamata Renang



LG-751J POWERBANK

75 Watt LED
Baterai Lithium 18650 9000mAh
Normal, Terang, SOS & Dimmer
Senter: 116x94mm Badan : 147x95x135mm
Display Baterai



LK-W20 WATERPROOF

20 Watt LED
Baterai Lithium 18650 2500mAh
Normal, Terang, SOS & Dimmer
75x90x94mm



LS-775G DIVING

High Power 75 Watt
Baterai Lithium 18650 6000mAh
Normal, Terang, SOS & Dimmer
85x92x90mm
Display Baterai, Lubang Tripod & Kacamata Renang



LY-122Z

12 Watt LED
Baterai Lithium 18650 2000mAh
Putih, Kuning, Putih Kuning SOS & Zoom In - Out
31.5x77x77mm
Indikator Baterai



LY-305Z

30 Watt + 5 Watt SMD LED
Baterai Lithium 21700 3000mAh
Switch 1: Putih, Kuning, Biru, Putih Kuning Biru, Klik 2x SOS & Zoom IN - OUT Switch 2: 5W Terang & Normal
78.5x43.5x86mm
Indikator Baterai, Sensor Touchless & Lubang Tripod



LY-320F

20 Watt LED
Baterai Lithium 18650 1800mAh
Switch 1 (Senter): Terang, Normal, SOS, Mode Sensor Touchless Switch 2 (Kipas Angin): Lembut, Sejuk, Kencang
84x113x101mm
Fan Fucntion, Sensor Touchless, Indikator Baterai & Powerbank



LY-560A

High Power 60 Watt
Baterai Lithium 18650 6000mAh
Normal, Terang & SOS
82x86x99mm
Indikator Baterai



LY-660L

60 Watt LED
Baterai Lithium 18650 5000mAh
Normal, Terang, SOS & Dimmer
92x81x106mm
Display Baterai & Baterai Lepas Pasang



LY-3015W

30 Watt + 15 Watt SMD LED
Baterai Lithium 21700 4000mAh
Terang, Normal, Samping Terang, Samping Normal & Dimmer
62x72x86mm
Display Baterai



LY-110Z WYB

10 Watt LED
Baterai Lithium 18650 1200mAh
Putih, Kuning, Biru, Dimmer, Tekan 2x SOS Putih, Sinyal Bahaya/ Pin Lokasi, SOS
77x45x83mm



LY-302Z WYB

30 Watt LED
Baterai Lithium 18650 2500mAh
Putih Terang, Dimmer Putih Terang, Kuning, Biru, Putih Sangat Terang, Putih Normal, Putih Hemat Daya, Tekan 2x SOS & Sinyal Bahaya/ Pin Lokasi
36x77x89mm
Indikator Baterai

KAWACHI

SENTER KEPALA



LY-302Z RGW

30 Watt LED
Baterai Lithium 18650 2500mAh
Putih Terang, Dimmer Putih Terang, Merah, Hijau, Putih Sangat Terang, Putih Normal, Putih Hemat Daya, Tekan 2x SOS & Sinyal Bahaya/ Pin Lokasi
36x77x89mm
Indikator Baterai



LP-8200H

200 Watt Hi-Tech LED
Baterai Lithium 21700 20000mAh
Mode Cahaya Utama: Super Terang, Terang, Normal & SOS Mode Cahaya Fungsional: LED Putih, Cahaya Darurat (Merah Biru)
Kepala: Ø 136x156mm Baterai: 111x63x195mm
Display Baterai 100% & Mode Darurat



LP-8350H

300 Watt Hi-Tech LED + 50 Watt LED 2835
Baterai Lithium 21700 50000mAh
Mode Cahaya Senter: Super Terang, Terang, Normal & SOS Mode Sensor Touchless Senter: Super Terang, Terang & Normal Mode Cahaya Fungsional: Terang, Cahaya Darurat (Merah Biru)
Kepala: Ø 136x156mm Baterai: 92x98x35mm
Display Baterai 100%, Singlepod Mode Darurat, Powerbank & Sensor Touchless



LY-501Z

50 Watt LED
Baterai Lithium 18650 4500mAh
Putih Terang, Putih Normal, Putih SOS, Kuning, Zoom IN & Out dan Tekan & Tahan OFF
103x98x93mm
Indikator Baterai & IP46



LY-158A WATERPROOF

15 Watt LED
Baterai Lithium 21700 3000mAh
Normal, Terang & SOS
75x94x90mm



LY-55MM

5 Watt LED + 5 LED SMD 2835
Baterai Polymer 1200mAh
Senter 5W: Normal, Terang & SOS SMD LED 2835: Normal, Putih Terang, Cahaya Darurat (Merah), Strobo & SOS
60x39x28mm
Sensor Touchless, Lightweight & Emergency Mode



LY-5MZ

5 Watt LED
Baterai Polymer 1200mAh
Normal, Terang, SOS dan Zoom IN & OUT
27x60x57mm
Sensor Touchless & Lightweight



LY-152ZZ

15 Watt LED
Baterai Lithium 18650 1200mAh
Normal, Terang, SOS dan Zoom IN & OUT
40x75x82mm
Indikator Baterai



LY-123Z

12 Watt LED + 10 LED SMD 2835
Baterai Lithium 18650 1200mAh
Switch 1: Putih, Kuning, Putih Kuning, SOS Putih, Dimmer dan Zoom IN & OUT Switch 2: Putih, Darurat & SOS
32x80x75mm
Indikator Baterai



LY-551Z

55 Watt LED + 12 LED SMD 2835
Baterai Lithium 18650 3000mAh
Switch 1: Normal, Terang, SOS, Dimmer dan Zoom IN & OUT Switch 2: Putih, Darurat & SOS
43x87x95mm
Indikator Baterai



LY-523Z

50 Watt LED + 12 LED SMD 2835
Baterai Lithium 18650 3000mAh
Switch 1: Putih, Kuning, Putih Kuning, SOS Putih, Dimmer dan Zoom IN & OUT Switch 2: Putih, Darurat & SOS
43x87x95mm
Indikator Baterai



LY-255W

25 Watt LED + 5 LED
Baterai Polymer 2500mAh
Senter Sorot, Senter Menyebar, Sorot & Menyebar, Lampu Darurat, SOS dan Dimmer
74x39x53mm
Display Baterai, Emergency Mode, Sensor Touchless & IP65



NA-C1

CHIP 32 + COB LED
Baterai Lithium 18650 1200mAh
CHIP 32 Terang-Normal, COB Terang & COB SOS
82x58x51mm



NA-101Z

10 Watt LED
Baterai Lithium 18650 1200mAh
Normal, Terang, SOS, & Zoom In - Out
30x68x70mm



NA-C3

300 Lumens
Baterai Lithium 300mAh
Bahan Aluminium
Terang, Normal, SOS & Tekan dan Tahan Super Terang
6x2x4.5cm
Pembuka Botol, Gantungan & Magnet



NA-51

5 Watt LED
Baterai Lithium 18650 1200mAh
Normal & Terang
46x75x64mm



NA-52

5 Watt LED
Baterai Lithium 18650 1200mAh
Normal & Terang
51x73x70mm



NA-53

5 Watt LED
Baterai Lithium 18650 1200mAh
Normal, Terang, SOS & Dimmer
53x70x74mm



NA-54

5 Watt LED
Baterai Lithium 18650 1200mAh
Normal, Terang & SOS
53x77x73mm



NA-55

5 Watt LED
Baterai Lithium 18650 1200mAh
Normal, Terang, SOS & Dimmer
50x69x75mm

KAWACHI®

SENTER KEPALA



NA-56

5 Watt LED
Baterai Lithium 18650 1200mAh
Normal, Terang, SOS & Dimmer
51x76.5x76.5mm
Indikator Baterai



NA-102

10 Watt LED
Baterai Lithium 18650 2000mAh
Normal, Terang, SOS & Dimmer
84x85x81mm



NA-57Z

5 Watt LED
Baterai Lithium 18650 800mAh
Normal, Terang, SOS, Dimmer dan Zoom IN & OUT
32x73x85mm

KAWACHI®



www.kawachilighting.com

KAWACHI

SENTER TANGAN



KD-8901

0.5 Watt
Baterai Lead Acid 500mAh
Colokan Charger



YL-15

15 Watt
Baterai Lithium 3000mAh
Normal, Terang & SOS
⌀ 85x153mm
Adaptor Charger



YL-20

20 Watt
Baterai Lithium 6000mAh
Normal, Terang & SOS
⌀ 109x195mm
Adaptor Charger



YL-30

30 Watt
Baterai Lithium 9000mAh
Normal, Terang & SOS
⌀ 125x215mm



KB-330A+

3 Watt + 30 BIG SMD LED
Baterai Lead Acid 1500mAh
Senter depan & Pencahayaan Samping
Adaptor Charger



SH-155

15 Watt + 5 Watt SMD LED
Baterai Lithium 1200mAh
Normal, Terang, SOS & Samping
⌀ 55x165mm
Kabel Charger USB



SH-255

25 Watt + 5 Watt SMD LED
Baterai Lithium 1200mAh
Normal, Terang, SOS & Samping
⌀ 80x190mm
Kabel Charger USB



KN-905A POWERBANK

90 Watt LED + 5 SMD LED
Baterai Lithium 10000mAh
Normal, Terang, SOS, Dimmer & Pencahayaan Samping
⌀ 12x21x16cm
Display Baterai
Adaptor Kabel Charger USB Type C



KN-25

25 Watt LED
Baterai Lithium 3500mAh
Normal, Terang, SOS & Dimmer
⌀ 10.5x21.5x13cm
Indikator Baterai
Kabel Charger USB Type C



LN-504A+

5 Watt LED + 4 SMD LED 5730
Baterai Lithium 2400mAh
Normal, Terang & Ujung Senter
⌀ 7.4x27cm
Kabel Charger USB



LN-2524A+ POWERBANK

25 Watt LED + 24 SMD LED
Baterai Lead Acid 4V6000mAh
Depan, Samping & SOS
⌀ 12x21x16cm
Kabel Charger Angka 8



LN-310A

3 Watt LED + Tube 10 SMD LED 2835
Baterai Lead Acid 800mAh
Senter & Tube
⌀ 7x25cm
Colokan Steker



KZ-3510C

35 Watt LED + 10 Watt COB LED
Baterai Lead Acid 4000mAh
Depan: Normal, Terang, & SOS Samping: COB Normal & COB Terang
⌀ 13x21.5x16cm
Adaptor Charger



KZ-536A+ POWERBANK

5 Watt LED + 36 PCS SMD LED 5730
Baterai Lithium 2400mAh
Senter 5w, Samping 1 Tube & 2 Tube
⌀ 7x20cm
Kabel Charger USB



KZ-120A+

1 Watt LED + 20pcs SMD LED 5730
Baterai Lead Acid 1200mAh
Senter 1w & Samping Tube + 20pcs SMD LED
⌀ 6.5x4x18cm
Kabel Charger Angka 8



KZ-103C

1 Watt LED + 3pcs COB LED
Baterai Lithium 14500 500mAh
Normal, Terang, SOS & COB LED
⌀ 4x14.5cm
Kabel Charger USB



KZ-420A+

4 Watt LED + 20pcs SMD LED 5730
Baterai Lead Acid 800mAh
Senter 4w & Tube 20pcs SMD LED
⌀ 7x15.5x18cm
Kabel Charger Angka 8



KZ-125A

1 Watt LED + 5pcs SMD LED
Baterai Lithium 18650 1200mAh
Terang 1w & Samping 5pcs SMD LED
⌀ 4x14.5cm
Kabel Charger USB



KD-2110A

2 Watt LED + 10 SMD LED
Baterai Lithium 1200mAh
Depan, Ujung & Dimmer
⌀ 53x53x190mm
Kabel Charger USB Type C



KD-2220A

2 Watt LED + 20 SMD LED
Baterai Lithium 1200mAh
Depan, Ujung & Dimmer
⌀ 54x54x175mm
Kabel Charger USB Type C

KAWACHI

SENTER TANGAN



KD-3010C POWERBANK

30 Watt + 10 Watt COB LED
Baterai Lithium 4x1200mAh
Switch 1: Normal, Terang & SOS Switch 2: COB Terang & Normal
⧅ 257x125x134mm
Adaptor Charger USB Type C



KD-3025C

3 Watt LED + 5 Watt COB LED
Baterai Lithium 1200mAh
Depan, COB & Dimmer
⧅ 48x149mm
Kabel Charger USB Type C



KD-3034A+

30 Watt LED + 34 BIG SMD LED
Baterai Lithium 6000mAh
Normal, Terang, SOS, Samping & Dimmer
⧅ 209x125x155mm
Kabel Charger USB Type C



KD-3208C POWERBANK

20 Watt + 8 Watt COB LED
Baterai Lithium 3x1200mAh
Switch 1: Normal, Terang & SOS Switch 2: COB Terang & Normal
⧅ 226x112x155mm
Adaptor Charger USB Type C



KD-9150Z POWERBANK

150 Watt LED
Baterai Lithium 26650 5000mAh
Terang, Normal, SOS, & Zoom In/Out
⧅ 53x179mm
Indikator Baterai
Kabel Charger USB Type C



KH-1001

1 Watt LED
Baterai Lithium 1200mAh
Normal, Terang, SOS & Dimmer
⧅ 30x30x100mm
Kabel Charger USB Type C



KH-1002

1 Watt LED
Baterai Lithium 1500mAh
Normal, Terang, SOS & Dimmer
⧅ 31x31x106mm
Kabel Charger Micro USB



KL-122C

1 Watt + 2 Watt COB LED
Baterai Lithium 1000mAh
Depan, COB & SOS
⧅ 2.65x11cm
Kabel Charger USB Type C



KT-515

15 Watt LED
Baterai Lithium 3000mAh
Normal, Terang, SOS & Dimmer
⧅ 84.5x153.5mm
Kabel Charger USB Type C



KT-554A

5 Watt LED + 54 SMD LED
Baterai Lithium 2400mAh
Normal, Terang, SOS, Senter & SOS Senter
⧅ 132x85x158mm
Kabel Charger USB Type C



KT-3008C

30 Watt LED + 8 Watt COB LED
Baterai Lead Acid 3000mAh
Normal, Terang, SOS & COB Light
⧅ 133x214.5mm
Kabel Charger AC Angka 8



KS-1510C POWERBANK

15W + 10W COB
Baterai Lithium 3000mAh
Senter Depan: Terang, Normal & SOS COB: Terang Putih, Normal Putih, Terang Merah & sos
⧅ 19x12x9.5cm
Indikator Baterai & Solar Panel
Kabel Charger USB Type C



SH-2033A

20W + 81 SMD LED 2835
Baterai Lithium 18650 2400mAh
Terang, Normal, SOS, SMD LED Putih, SMD LED Kuning, SMD LED Putih Kuning & SMD LED Merah Biru (Lampu Darurat)
⧅ 122x93x234mm
Kabel Charger USB Type C
Indikator Baterai & Powerbank



SH-2033B

20W + 25 LED COB
Baterai Lithium 18650 2400mAh
Terang, Normal, SOS, COB LED Terang, COB LED Normal & COB LED SOS
⧅ 122x93x234mm
Kabel Charger USB Type C
Indikator Baterai & Powerbank



SH-2033C

20W + 9 LED COB
Baterai Lithium 18650 2400mAh
Terang, Normal, SOS, COB LED Terang, COB LED Normal & COB LED SOS
⧅ 122x93x234mm
Kabel Charger USB Type C
Indikator Baterai & Powerbank



KH-20Z

20 Watt LED
Baterai Lithium 21700 3000mAh
Normal, Terang, SOS, Dimmer & Zoom In - Out
⧅ 49x193mm
Kabel Charger USB Type C



HZ-70Z POWERBANK

70 Watt LED
Baterai Lithium 26650 5000mAh
Normal, Terang, Sangat Terang, SOS, Strobo & Zoom IN/OUT
⧅ 45x173mm
Adaptor Kabel Charger USB Type C
Display Baterai & IP65



KD-2308A

2 Watt + 8 SMD LED 2835
Baterai Lithium 18650 1200mAh
Senter Depan, Pencahayaan Ujung & Dimmer
⧅ 61x146mm
Kabel Charger USB Type C



KH-1108A+

2Watt + 8 SMD LED 5730
Baterai Lithium 18650 1200mAh
Terang, Samping & Dimmer
⧅ 135x54x44mm
Kabel Charger USB Type C



KH-1114A+

2Watt + 14 SMD LED 5730
Baterai Lithium 18650 1200mAh
Terang, Samping & Dimmer
⧅ 51x51x138mm
Kabel Charger USB Type C

KAWACHI

SENTER TANGAN



KZ-111A

1 Watt + 5050 10 LED
Baterai Lithium 18650 1200mAh
1 Watt, Samping Normal dan Samping Terang
105x60x35mm
Kabel Charger USB Type C



KZ-111B

1 Watt + 5730 20 LED
Baterai Lithium 18650 1200mAh
1 Watt, Tube dan Samping Tube + SMD LED
105x60x35mm
Kabel Charger USB Type C



KZ-111C

1 Watt + 5730 24 LED
Baterai Lithium 18650 1200mAh
1 Watt, Tube Terang dan Tube Normal
105x60x35mm
Kabel Charger USB Type C



KU-20Z

Hi-Tech 20W
Baterai Lithium 18650 2500mAh
Hemat Daya, Normal, Terang, Sangat Terang, Zoom In-Out SOS dan Strobo
30x105mm
Kabel Charger USB Type C
Indikator Baterai, IP65 dan Bodi Aluminium



KU-25Z

Hi-Tech 25W
Baterai Lithium 18650 3000mAh
Normal, Terang, Sangat Terang Zoom In-Out dan Strobo
32.7x105mm
Kabel Charger USB Type C
Indikator Baterai, Powerbank, IP65 dan Bodi Aluminium



KU-55Z

Hi-Tech 55W
Baterai Lithium 18650 3000mAh
Hemat Daya, Normal, Terang, Sangat Terang, Zoom In-Out SOS dan Strobo
34x122mm
Kabel Charger USB Type C
Indikator Baterai, Powerbank, IP65 dan Bodi Aluminium



KU-60Z

Hi-Tech 60W
Baterai Lithium 21700 4000mAh(Baterai Dapat Diganti)
White: Hemat Daya, Normal, Terang, Strobo & SOS Warm: Hemat Daya, Normal, Terang, Strobo & SOS Tekan & Tahan Ganti ke LED Warm, Klik 2x LED White & Warm dan Zoom In-Out
38x148mm
Kabel Charger USB Type C
Indikator Baterai, Powerbank, IP65 dan Bodi Aluminium



KU-120Z

Hi-Tech 120W
Baterai Lithium 26650 5000mAh(Baterai Dapat Diganti)
White: Hemat Daya, Normal, Terang, Strobo & SOS Warm: Hemat Daya, Normal, Terang, Strobo & SOS Tekan & Tahan Ganti ke LED Warm, Klik 2x LED White & Warm dan Zoom In-Out
46x158mm
Kabel Charger USB Type C
Indikator Baterai, Powerbank, IP65 dan Bodi Aluminium



KU-160Z

Hi-Tech 160W
Baterai Lithium 41700 9000mAh(Baterai Dapat Diganti)
White: Hemat Daya, Normal, Terang, Strobo & SOS Warm: Hemat Daya, Normal, Terang, Strobo & SOS Tekan & Tahan Ganti ke LED Warm, Klik 2x LED White & Warm dan Zoom In-Out
56x176mm
Kabel Charger USB Type C
Indikator Baterai, Powerbank, IP65 dan Bodi Aluminium



KU-2200D

Hi-Tech 220W
Baterai Lithium 21700 20000mAh
Hemat Daya, Normal, Terang, Sangat Terang, Strobo, SOS, Samping dan SOS Darurat
79.3x200mm
Kabel Charger USB Type C
Display Baterai, IPX4, Bodi Aluminium & Powerbank



YL-110

110 Watt LED
Baterai Lithium 18650 6000mAh
Normal, Terang dan SOS
130x235x105mm
Adaptor Kabel Charger USB Type C
Reflektor Besar dan Bodi Aluminium



KD-2025A

25 Watt LED
Baterai Lithium 18650 1200mAh
Normal, Terang, SOS & Dimmer
62x62x142mm
Kabel Charger USB Type C



KD-2030A

30 Watt LED
Baterai Lithium 18650 2000mAh
Normal, Terang, SOS & Dimmer
69x69x180mm
Kabel Charger USB Type C



HZ-6025C

60W (Senter), 25W (Emergency) & COB 10W (Lantern)
Baterai Lithium 21700 3000mAh(Baterai Dapat Diganti)
Switch 1: Senter Terang, Normal, Emergency Terang, Normal & Double Klik SOS Switch 2: Lantern Terang & Normal
55x27.5x160mm
Kabel Charger USB Type C
Display Baterai, Powerbank & Magnet



KD-1225Z

25 Watt + 12 LED SMD 2835
Baterai Lithium 21700 3000mAh
Normal, Terang, SOS, Dimmer Fungsional & Zoom IN-OUT
45x210mm
Indikator Baterai
Kabel Charger USB Type C



KD-1815Z

15 Watt + 8 LED SMD 2835
Baterai Lithium 18650 1500mAh
Normal, Terang, SOS, Dimmer Fungsional & Zoom IN-OUT
38x180mm
Indikator Baterai
Kabel Charger USB Type C



KH-2525W

25 Watt + 25 Watt LED 9 LED SMD 2835
Baterai Lithium 18650 2000mAh
Terang Sorot, Normal Sorot, SOS, Terang Sebar, Normal Sebar, 9 LED SMD 2835 & Dimmer
48x181mm
Indikator Baterai
Kabel Charger USB Type C



KT-355Z

35 Watt + 5 Watt LED
Baterai Lithium 18650 2400mAh
Terang, Normal, SOS, Fungsional 5w Terang, Fungsional 5w Normal & Zoom IN/OUT
147x141mm
LED Indikator Baterai, Powerbank & Penyangga
Adaptor Kabel Charger USB Type C



KD-655Z

65 Watt + 2835 20Pcs LED
Baterai Lithium 18650 6000mAh
Normal, Terang, SOS, LED Samping & Zoom IN-OUT
217x84x118mm
Pencahayaan Samping
Adaptor Kabel Charger USB Type C



KN-1210A

120 Watt + 2835 66Pcs LED
Baterai Lithium 18650 12000mAh
Switch 1: Terang, Normal, SOS & Dimmer Switch 2: Samping Terang, Normal & Lampu Darurat (Strobo)
123x240x140mm
Display Baterai
Adaptor Kabel Charger USB Type C

KAWACHI

SENTER TANGAN



YL-2830Z POWERBANK

30 Watt + 28 SMD LED
Baterai Lithium 18650 2000mAh
Switch 1: Terang, Normal, SOS & Zoom In - Out Switch 2: Cahaya Putih & Cahaya Darurat (merah-biru)
190x54mm
Indikator Baterai
Kabel Charger USB Type C



KZ-10Z

10 Watt LED
Baterai Lithium 14500 500mAh
Normal, Terang, SOS, Dimmer & Zoom IN-OUT
93x25mm
Kabel Charger USB Type C



KF-8FZ

8 Watt LED
Baterai Lithium 14500 500mAh
Normal, Terang, SOS & Zoom IN-OUT
22x83mm
Kabel Charger USB Type C



NA-A1 POWERBANK

LED Chip P90
Baterai Lithium 1200mAh
Normal, Terang, SOS & Zoom In/Out
⌀ 3.2x17.7x2.6cm
Pisau, Pemecah Kaca, & Indikator Baterai
Kabel Charger Type C



NA-A2 WATERPROOF POWERBANK

LED XPE + 3 COB LED 30 Watt
Baterai Lithium 3000mAh
Normal, Terang, SOS, COB Normal & COB Terang
⌀ 6x19.5cm
Indikator Baterai & Gantungan Magnet
Kabel Charger Type C



NA-A3

1 Watt + 3 SMD LED
Baterai Lithium 14500 400mAh
Normal, Terang, SOS, SMD LED & Zoom In - Out
15x100mm
Kabel Charger USB Type C



NA-A4

1 Watt LED
Baterai Lithium 300mAh
Normal, Terang, SOS & Dimmer
31x107mm
Kabel Charger USB Type C



NA-A5

10 Watt LED
Baterai Lithium 18650 1200mAh
Normal, Terang & Dimmer
80x160x110mm
Kabel Charger USB Type C



NA-A6

5W + 22pcs SMD LED 2835
Baterai Lithium 18650 1200mAh
Senter Zoom 5W, Pencahayaan SMD LED Terang, Pencahayaan SMD LED Normal & SOS
29x190mm
Kabel Charger USB Type C



NA-A7

20 Watt + Cahaya Samping 5W
Baterai Lithium 18650 2000mAh
Normal, Terang, Cahaya Samping & SOS
82x160x109mm
Kabel Charger USB Type C

KAWACHI®



www.kawachilighting.com

KAWACHI

EMERGENCY LAMP



KS-770A+

39 pcs BIG SMD LED
Baterai Lead Acid 4000mAh
Dimmer
Ø 10x24cm



KD-6145A+

1 Watt + 45pcs 5730 SMD LED
Baterai Lead Acid 2000mAh
Senter Samping & Emergency
11.5x21.5x6cm



KS-3018A+

30pcs + 18pcs 5630 SMD LED
Baterai Lead Acid 4V 3Ah
Normal, Terang, Samping
14x25x8cm



KS-7620A

76 SMD LED
Baterai Lead Acid 2000mAh
2 Tube & 4 Tube
20x20x8cm
Kabel Charger Angka 8
Solar Panel




KS-5420A

54 SMD LED
Baterai Lead Acid 2000mAh
1 Tube, 2 Tube & 3 Tube
8x19cm
Kabel Charger Angka 8



KF-4516A POWERBANK

4 Watt + 15 SMD LED
Baterai Lithium 2x2000mAh
Switch 1: LED Kuning, Putih, Putih Kuning, Lampu Darurat & Dimmer Switch 2: Normal, Terang, SOS & Dimmer
141x222mm
Kabel Charger USB Type C
Display Baterai



KH-1544A+

44 BIG SMD LED
Baterai Lithium 18650 2x1200mAh
Normal & Terang
35x3.5x6cm
Kabel Charger USB Type C



SD-1218

18 SMD LED
Baterai Lithium 1200mAh
Normal, Terang & SOS
17x4x2cm
Kabel Charger Micro USB



SD-1832

32 SMD LED
Baterai Lithium 1800mAh
Normal, Terang & SOS
32x4x2cm
Kabel Charger Micro USB



SD-2452

52 SMD LED
Baterai Lithium 2400mAh
Normal, Terang & SOS
52x4x2cm
Kabel Charger Micro USB



KH-5325A

53 SMD LED 2835
Baterai Lithium 18650 2500mAh
Terang, Normal, Lemah & SOS
214x62x74mm
Kabel Charger USB Type C



KS-6228A+

62 SMD LED 5730
Baterai Lead Acid 2800mAh
2 Tube dan 4 Tube
123x60x240mm
Kabel Charger Angka 8



KD-1130A

1W + 30 SMD LED 2835
Baterai Lithium 18650 1200mAh
Depan ,Samping & Dimmer
54x43x200mm
Kabel Charger USB Type C



KS-2420A

20W SMD LED + 24 SMD LED
Baterai Lead Acid 6V 4Ah
20 SMD LED dan 24 SMD LED
109x91x230mm
Kabel Charger Angka 8



KB-1818S

36 SMD LED
Baterai Lithium 6V 4000mAh
Emergency Lamp 1 Tube Emergency Lamp 2 Tube
24.8x12.3x8.5cm
Powerbank & Indikator Baterai

KAWACHI

EMERGENCY LAMP



NM-1501

146 LED 2835
Baterai Lithium 18650 6000mAh
Kuning, Putih, Natural, Senter & Dimmer
158x53.5mm
Kabel Charger USB Type C
Solar Panel, Magnet, IP 65, Gantungan & Baterai Eksternal



NM-3501

76pcs SMD LED
Baterai Lithium 18650 4800mAh
Normal, Terang, SOS & Dimmer
160x160x45mm
Kabel Charger USB Type C
Solar Panel, Magnet, IP 65, Gantungan & Indikator Baterai



NM-4010C

COB 40 Watt 7500K
Baterai Lithium 21700 9000mAh
Tombol Switch: Cahaya COB Terang & Cahaya Darurat Tombol Dimmer: Cahaya COB, Pencahayaan Merah-Hijau: Strobo, SOS & Mode Siaga
Emergency: 160x76mm Mini Light: 65x45x25mm
Kabel Charger USB Type C
Display Baterai, Magnet, IP 65, Powerbank, Port Tripod & Gantungan



NM-1001

30 Watt
Baterai Lithium 1500mAh
9.5x9.5x14cm

NM-1002

50 Watt
Baterai Lithium 3000mAh
10.5x10.5x16cm

NM-1003

80 Watt
Baterai Lithium 3600mAh
11.5x11.5x18cm



NM-2001

30 Watt
Baterai Lithium 1500mAh
10x10x10cm

NM-2002

80 Watt
Baterai Lithium 3600mAh
12.5x12.5x12cm

IP65 TAHAN AIR
LAMA PEMAKAIAN HINGGA 7 JAM
3 MODE PENCAHAYAAN
- TERANG - NORMAL - SOS



NM-3001

300 Watt
Baterai Lithium 1200mAh
22.2x22.2x7.5cm
Baterai Indikator

IP65 TAHAN AIR
LAMA PEMAKAIAN HINGGA 15 JAM
3 MODE PENCAHAYAAN
- TERANG - NORMAL - SOS



NM-3002

150 Watt
Baterai Lithium 5200mAh
11.5x11.5x6.3cm

NM-3003

200 Watt
Baterai Lithium 7200mAh
13.5x13.5x6.5cm

NM-3004

250 Watt
Baterai Lithium 10400mAh
17x17x7.3cm

IP65 TAHAN AIR
LAMA PEMAKAIAN HINGGA 7 JAM
3 MODE PENCAHAYAAN
- TERANG - NORMAL - SOS



NM-4001

230 Watt
Baterai Lithium 10000mAh
15.6x15.5x5.6cm

IP65 TAHAN AIR
LAMA PEMAKAIAN HINGGA 8.5 JAM
3 MODE PENCAHAYAAN
- TERANG - NORMAL - SOS



Perbaikan Mobil



Camping



Pekerjaan Outdoor



Pasar Malam

KAWACHI®



www.kawachilighting.com

KAWACHI

LAMPU MEJA



KM-501 AC/DC INPUT

18pcs LED 2835
Baterai Lithium 500mAh
Tahan hingga 6 jam
Putih, Kuning & Putih Kuning
Kepala: 9.3cm, Tiang: 36cm Badan: 8.8x13.5cm
DC 5V / 1A
Fungsi Dimmer



KM-1201 AC/DC INPUT

20pcs LED 2835
Baterai Lithium 1200mAh (dapat dibongkar pasang)
Tahan hingga 10 jam
Putih, Kuning & Putih Kuning
Kepala: 8cm, Tiang: 29.5cm Badan: 10cm
DC 5V / 1A
Fungsi Dimmer



KM-1202 AC/DC INPUT

30pcs LED 5730
Baterai Lithium 1200mAh (dapat dibongkar pasang)
Tahan hingga 10 jam
Putih, Kuning & Putih Kuning
Kepala: 3x23cm, Tiang: 30cm Badan: 9x12cm
DC 5V / 1A
Fungsi Dimmer



KM-1203 AC/DC INPUT

20pcs LED 2835
Baterai Lithium 1200mAh (dapat dibongkar pasang)
Tahan hingga 10 jam
Putih, Kuning & Putih Kuning
Kepala: 9.5cm, Tiang: 30cm Badan: 11.5x14cm
DC 5V / 1A
Fungsi Dimmer



KM-1204 AC/DC INPUT

24pcs LED 2835
Baterai Lithium 1200mAh (dapat dibongkar pasang)
Tahan hingga 10 jam
Putih, Kuning & Putih Kuning
Kepala: 8.5cm, Tiang: 24.5cm Badan: 10x10x5cm
DC 5V / 1A
Fungsi Dimmer



KM-1205 AC/DC INPUT

20pcs LED 2835
Baterai Lithium 1200mAh (dapat dibongkar pasang)
Tahan hingga 10 jam
Putih, Kuning & Putih Kuning
Kepala: 8cm, Tiang: 30cm Badan: 11.5cm
DC 5V / 1A
Fungsi Dimmer



KM-1206 AC/DC INPUT

18pcs LED 2835
Baterai Lithium 1200mAh
Tahan hingga 7 jam
Putih, Kuning & Putih Kuning
Kepala: 9cm, Tiang: 42.5cm Badan: 10cm
DC 5V / 1A
Fungsi Dimmer, Dudukan HP & Tempat Pensil



KM-1207 AC/DC INPUT

20pcs LED 2835
Baterai Lithium 1200mAh (dapat dibongkar pasang)
Tahan hingga 10 jam
Putih, Kuning & Putih Kuning
Kepala: 8cm, Tiang: 27.5cm Badan: 10cm
DC 5V / 1A
Fungsi Dimmer



KM-2401 AC/DC INPUT

40pcs LED 5730
Baterai Lithium 2400mAh (dapat dibongkar pasang)
Tahan hingga 10 jam
Putih, Kuning & Putih Kuning
Kepala: 22.5cm, Tiang: 26cm Badan: 14.5cm
DC 5V / 1A
Fungsi Dimmer



KM-2402 AC/DC INPUT

10 Watt COB LED
Baterai Lithium 2400mAh (dapat dibongkar pasang)
Tahan hingga 6 jam
Normal, Terang & Sangat Terang
Kepala: 25.7cm, Tiang: 27.6cm Badan: 9.5x14cm
DC 5V / 1A
Fungsi Dimmer



LM-9988

Pemasangan Lampu LED/LHE
Fitting E27
AC 220V
Saklar ON/OFF
Ø 40X16mm



LM-9999

Pemasangan Lampu LED/LHE
Fitting E27
AC 220V
Saklar ON/OFF
Ø 40X16mm



SD-08

8 Watt + 20pcs BIG SMD LED
Baterai Lithium 1200mAh
Tahan hingga 6 jam
Warm, White, Natural & Dimmer
Ø 85x153mm
Rechargeable
Remote Control & Kabel Charger USB

KAWACHI®



www.kawachilighting.com

KAWACHI

RAKET NYAMUK



RN-508

3000V
Kabel Charger Angka 8
UK. Jaring: 25.5x20.4cm Tinggi Raket: 49cm



RN-518

3000V
Kabel Charger Angka 8
UK. Jaring: 26x20.4cm Tinggi Raket: 51cm



RN-611

2500V
Colokan Charger
UK. Jaring: 23.5x29.5cm Tinggi Raket: 51cm



RN-612

2500V
Colokan Charger
UK. Jaring: 23x21cm Tinggi Raket: 51cm



RN-708

4000V
Kabel Charger Angka 8
UK. Jaring: 23x21.5cm Tinggi Raket: 48.5cm



RN-718

4000V
Kabel Charger Angka 8
UK. Jaring: 26x23cm Tinggi Raket: 51.5cm



RN-628

3000V
Kabel Charger Angka 8
UK. Jaring: 23x20.5cm Tinggi Raket: 52cm



RN-638

3000V
Kabel Charger Angka 8
UK. Jaring: 25.5x22m Tinggi Raket: 52cm



RN-613

2500V
Baterai AA (2pcs)
UK. Jaring: 18x22cm Tinggi Raket: 45cm



RL-958

4000V
Bahan Plastik ABS
UK. Jaring: 24x22.7cm Tinggi Raket: 56.2cm



RN-622

3000V
UK. Jaring: 26x20.8cm Tinggi Raket: 54.5cm



RN-803

3000V
Kabel Charger Angka 8
UK. Jaring: 21.5x28m Tinggi Raket: 52cm



RN-621

3000V
Colokan Charger
UK. Jaring: 23.5x19.5cm Tinggi Raket: 55cm



RN-538

3000V
Kabel Charger Angka 8
UK. Jaring: 20.5x27.5cm Tinggi Raket: 54cm



RN-668

3000V
Kabel Charger Angka 8
UK. Jaring: 18.5x24cm Tinggi Raket: 49.5cm

KAWACHI

RAKET NYAMUK



RN-922

4000V
Colokan Charger
Bahan Plastik ABS
UK. Jaring: 21.5x24.3cm Tinggi Raket: 53.5cm



RN-933

4000V
Colokan Charger
Bahan Plastik ABS
UK. Jaring: 21.2x24.6m Tinggi Raket: 51.2cm



RN-802

3000V
Kabel Charger Angka 8
UK. Jaring: 25.5x26cm Tinggi Raket: 54cm



RN-669

3000V
Kabel Charger Angka 8
UK. Jaring: 20x25cm Tinggi Raket: 50cm

RAKET NYAMUK UV LIGHT



RN-626U

3000V
Daya LED 1.5W
2 pcs LED Ultraviolet
Super Electric
Charger USB
Baterai Lithium 500mAh
UK. Jaring: 19x24m Tinggi Raket: 51cm



RL-788

3000V
DC 5V/1A
2 pcs UV Light
Kabel Charger Port USB
Baterai Lithium 500mAh
Dalam Keadaan Lipat: 22x26cm Tidak Dalam Keadaan Lipat: 22x26x50cm (Tinggi Raket)



RL-788UP

3800V
DC 5V/1A
5 pcs UV Light
Kabel Charger Port USB
Baterai Lithium 1200mAh
Bahan Plastik ABS
Dalam Keadaan Lipat: 23x23cm Tidak Dalam Keadaan Lipat: 23x23x43.2cm (Tinggi Raket)

XIMY





LED STRIP XYA-01

8m (80LED), 10m (100LED) & 15m (150 LED)
Music, Bluetooth, App, Point Control & RGB
IP 65 Waterproof
Remote Control



LED BAR XYA-02

DC5V
RGB
Baterai 2000mAh
Diamter: 9cm & Tinggi: 12.5cm
USB Port C
PC Akrilik



LED GALAXY LIGHT XYA-03

DC5V
12.3x16.4cm
USB / Bluetooth Input
Dikontrol dengan Remot / HP
Nigh Light, Ambience Light, Party Light, Music Player & Relaxation



CRYSTAL TABLE LAMP XYA-04R & 04T

DC5V
04R: RGB & 04T: 3 Color
Baterai 2000mAh
Diamter: 9cm & Tinggi: 12.5cm
Kabel USB
PC Akrilik
04R : Remote Control



CRYSTAL TABLE LAMP XYA-05R & 05T

DC5V
05R: RGB & 05T: 3 Color
Baterai 2000mAh
Diamter: 9cm & Tinggi: 22cm
Kabel USB
PC Akrilik
04R : Remote Control



CRYSTAL TABLE LAMP XYA-06R & 06T

DC5V
06R : RGB & 06T : 3 Color
Baterai 2000mAh
Diamter: 15cm & Tinggi: 26cm
Kabel USB
PC Akrilik
06R : Remote Control



ASTRONOT LAMP XYA-07

DC5V
Laser Light
Baterai 2000mAh
85x76x126mm
Kabel Charger
PC Akrilik
Remote Control



SPACE CAPSULE GALAXY PROJECTOR XYA-08

DC5V
Laser Light
Kabel Charger
140x175mm
Bahan ABS
Remote Control



FLYING SAUCER PROJECTOR XYA-09

DC5V
14 Light Colors
Kabel USB Type C
Remote Control Moon & Laser Light



MOON TABLE LAMP XYA-10


DC5V
4 Mode Cahaya
Baterai 2000mAh
Kabel Charger

XIMY




STAR TABLE LAMP XYA-11

DC5V
4 Mode Cahaya
Baterai 2000mAh
Kabel Charger



SOLAR FLOATING POOL LIGHT XYA-12

DC5V
3 Mode Cahaya
Baterai 1200mAh
15x14cm
Solar Panel
Remote Control



DREAM AURORA STAR PROJECTOR XYA-13

DC5V
LED tahan lama
3 Mode Cahaya
Baterai 2000mAh
16.5x7x11cm
Kabel USB Port C
Remote Control



LED COLORFUL LIGHT XYA-14

10 Watt
RGB 4 Warna: Merah, Hijau, Biru dan Kuning
10 Cabang Lampu
Panjang Kabel 5m
Kabel USB 5V
4x4cm



LED MINI FLAT PAR LIGHT XYA-15

9 Watt
AC110-220W 50/60Hz
18pcs LED
LED 3 Warna: Merah, Hijau, dan Biru
Remot Pengontrol Lampu
21x6x19.5cm



LED MINI FLAT PAR LIGHT XYA-16

18 Watt
AC110-220W 50/60Hz
36pcs LED
RGB 3 Warna: Merah, Hijau, dan Biru
Remot Pengontrol Lampu
21x6x19.5cm



FULL COLOR ROTATING LAMP XYA-17

2.3 Watt
AC85-260W 50/60Hz
RGB 3 Warna: Merah, Hijau, dan Biru
11x8.5x13.5cm



FULL COLOR ROTATING LAMP XYA-18

2.3 Watt
AC110-245W 50/60Hz
RGB 3 Warna: Merah, Hijau, dan Biru
Cover 5 tipe Warna: Putih, Hijau, Merah, Kuning dan Biru
Remot Pengontrol Lampu
8.5x8.5x17.5cm



SMART BULB BLUETOOTH XYA-19

9 Watt
AC 200-240W 50/60Hz
Warm & Cool White
16 Juta Warna RGB & Putih/Kuning
Dapat dikendalikan melalui App Smart Life atau Tuya Smart
Bluetooth
6x11.5cm



SMART BULB BLUETOOTH+WIFI XYA-20

9 Watt
AC 200-240W 50/60Hz
Warm & Cool White
16 Juta Warna RGB & Putih/Kuning
Dapat dikendalikan dari jarak jauh melalui App Smart Life atau Tuya Smart
Bluetooth + WIFI
6x11.5cm



NEON LIGHT LAMP XYA-21

DC12V
Panjang 5m
LED 120pcs/m
Tersedia dalam warna: Green, Red, Blue, Ice Blue, Orange, Pink, Purple, White & Yellow



MP3 PLAYER + LAMP XYA-22

Lampu RGB
Baterai Lithium 1200mAh (Dapat diganti)
Wireless Charging (15w)
Bluetooth, Radio, AUX, USB dan Kartu Memory
Kabel USB
Diameter: 23cm
Jarak koneksi hingga 10m

KAWACHI®



www.kawachilighting.com

KAWACHI

LAMP CEILING FAN CF-5601



CL-01

220V
50Hz
Daya LED: 96W Daya Kipas: 30W
Diameter LED: 50cm
3 Warna LED: Kuning, Putih & Netral
6 Level Kecepatan Angin
Remote Control



CL-02

220V
50Hz
Daya LED: 96W Daya Kipas: 30W
Diameter LED: 50cm
3 Warna LED: Kuning, Putih & Netral
6 Level Kecepatan Angin
Remote Control



CL-03

220V
50Hz
Daya LED: 96W Daya Kipas: 30W
Diameter LED: 50cm
3 Warna LED: Kuning, Putih & Netral
6 Level Kecepatan Angin
Remote Control



CL-04

220V
50Hz
Daya LED: 96W Daya Kipas: 30W
Diameter LED: 50cm
3 Warna LED: Kuning, Putih & Netral
6 Level Kecepatan Angin
Remote Control

PORTABLE FAN



KK-295 MOUSE

5 inch
li-ion 18650-3.7V 1800mAh
Durasi Kipas : 2 Jam (Kecepatan Tinggi) 3 Jam (Kecepatan Sedang) 4.5 Jam (Kecepatan Rendah)
Durasi LED: 7 Jam (Cahaya Terang) 18 Jam (Cahaya Sedang) 65 Jam (Cahaya Lemah)
7 pcs LED
Kabel Micro USB
14.5x6x21.2cm
AC/DC




KK-295 TURTLE

5 inch
li-ion 18650-3.7V 1800mAh
Durasi Kipas : 1.5 Jam (Kecepatan Tinggi) 2.5 Jam (Kecepatan Sedang) 4 Jam (Kecepatan Rendah)
Durasi LED: 10 Jam (Cahaya Terang) 20 Jam (Cahaya Sedang) 100 Jam (Cahaya Lemah)
6 pcs LED
Kabel Micro USB
15.4x10.5x19.9cm
AC/DC



KK-295 BUNNY

5 inch
li-ion 18650-3.7V 1800mAh
Durasi Kipas : 2 Jam (Kecepatan Tinggi) 3.5 Jam (Kecepatan Sedang) 5 Jam (Kecepatan Rendah)
Kabel USB Type C
14.5x4.3x18cm
AC/DC



KK-295 RABBIT

6 inch
li-ion 18650-3.7V 3000mAh
Durasi Kipas : 4.5 Jam (Kecepatan Tinggi) 6.5 Jam (Kecepatan Sedang) 10.5 Jam (Kecepatan Rendah)
Kabel USB Type C
19.5x8.8x22.1cm
AC/DC



KK-295 DRAGON

6 inch
li-ion 18650-3.7V 2400mAh (dapat diganti)
Durasi Kipas : 4 Jam (Kecepatan Alami) 3 Jam (Kecepatan Tinggi) 4 Jam (Kecepatan Sedang) 7 Jam (Kecepatan Rendah)
Durasi LED: 13.5 Jam (Cahaya Terang)
6 pcs LED
Kabel USB Type C



KK-295 BUTTERFLY

7 inch
li-ion 18650-3.7V 2400mAh
Durasi Kipas : 3 Jam (Kecepatan Tinggi) 4 Jam (Kecepatan Sedang) 7.5 Jam (Kecepatan Rendah)
Durasi LED: 15 Jam (Cahaya Terang) 60 Jam (Cahaya Lemah)
90 Derajat ke atas 30 Derajat ke bawah
6 pcs LED
Kabel Micro USB
22.5x9.4x26cm
AC/DC



KK-295 GIRAFFE

7 inch
li-ion 18650-3.7V 3000mAh (dapat diganti)
Durasi Kipas : 3 Jam (Kecepatan Tinggi) 5 Jam (Kecepatan Sedang) 12 Jam (Kecepatan Rendah)
Durasi LED: 7 Jam (Cahaya Terang) 19 Jam (Cahaya Lemah)
40 pcs LED
Kabel USB Type C
18.2x16.5x20.5cm
AC/DC



KK-295 DOLPHIN

8 inch
li-ion 18650-3.7V 2x15000mAh (dapat diganti)
Durasi Kipas : 2.5 Jam (Kecepatan Tinggi) 5.5 Jam (Kecepatan Sedang) 13 Jam (Kecepatan Rendah)
Durasi LED: 10 Jam (Cahaya Terang) 25 Jam (Cahaya Lemah)
6 pcs LED
Kabel USB Type C
23x7.1x30.8cm
AC/DC

KAWACHI

PORTABLE FAN



PF-300 TORNADO

1.25 inch
6000mAh
Durasi Kipas : 30 Menit (Kecepatan Tertinggi) 4 Jam (Kecepatan Terendah)
Kecepatan Angin 6 Tingkat
Kabel USB Type C
3.3x6.5x13.5cm
Bahan Plastik ABS
White/Black



PF-300 MOON

2 inch
1800mAh
Durasi Kipas : 6.5 Jam (Kecepatan Tertinggi) 13.5 Jam (Kecepatan Terendah)
Durasi Mini Cooler : 1.3 Jam/+ (Kecepatan Angin 150) 1.4 Jam/+ (Kecepatan Angin 100) 1.5 Jam/+ (Kecepatan Angin 50)
Kecepatan Angin 150 Tingkat
Kabel USB Type C
6x6x16.5cm
Bahan Plastik ABS
White/Purple



PF-300 CLOUD

2 inch
1800mAh
Durasi Kipas : 2 Jam (Kecepatan Tertinggi) 4 Jam (Kecepatan Terendah)
Kecepatan Angin 100 Tingkat
Kabel USB Type C
6.5x6x15cm
Bahan Plastik ABS
Grey/Cream



PF-300 BREEZE

2 inch
500mAh
Durasi Kipas : 1 Jam (Kecepatan Tertinggi) 1.5 Jam (Kecepatan Terendah)
Kabel Mikro USB
6.5x5.5x16cm
Kabel Charger Type C
Bahan Plastik PP
Blue/White/Pink



PF-300 SKY

2 inch
1800mAh
Durasi Kipas : 2 Jam (Kecepatan Tertinggi) 13 Jam (Kecepatan Terendah)
Kabel USB Type C
6x6x16cm
Bahan Plastik ABS
Grey/Cream



PF-300 AURORA

2 inch
4400mAh
Durasi Kipas : 1.7 Jam (Kecepatan Tertinggi) 13 Jam (Kecepatan Terendah)
Durasi Mini Cooler : 1.5 Jam/+ (Kecepatan Tertinggi) 2 Jam/+ (Kecepatan Terendah)
Kecepatan Angin 5 Tingkat
Kabel USB Type C
4x5x16cm
Bahan Plastik ABS
Black/White



PF-300 CHILL

2 inch
3600mAh
Durasi Kipas : 1.5 Jam (Kecepatan Tertinggi) 11.5 Jam (Kecepatan Terendah)
Kecepatan Angin 100 Tingkat
4 pcs LED
Kabel USB Type C
6x6x17cm
Bahan Plastik ABS + PC
White/Purple/Black



PF-300 AERIS

1.8 inch x 2
2835 5W
Lithium 18650 10500mAh
Durasi Kipas : 7 Jam (Kecepatan Tertinggi) 9.5 Jam (Kecepatan Sedang) 12 Jam (Kecepatan Terendah)
Display Baterai
Adaptor Kabel Charger USB Type C 2A
157x83x72cm
Bahan Plastik ABS



PF-300 TORNIX

1.25 inch
21700 2x3000mAh
Durasi Kipas : 30 Menit (Kecepatan Tertinggi) 4 Jam (Kecepatan Terendah)
Indikator Baterai, Pencahayaan LED & Pencahayaan SOS
Kabel USB Type C
37x10.8x14mm
Bahan Plastik ABS
White/Purple/Black



PF-300 NIMO

1.4 inch
3000mAh
Durasi Kipas : 2.5 Jam (Kecepatan Tertinggi) 7.5 Jam (Kecepatan Terendah)
Indikator Baterai, 4 pcs LED & Pencahayaan SOS
Kabel USB Type C
95x43x38mm
Bahan Plastik ABS
Purple/Blue/White/Pink



PF-300 LUMORA

1.8 inch
18650 1500mAh
Durasi Kipas : 1.5 Jam (Kecepatan Tertinggi) 5.5 Jam (Kecepatan Terendah)
Indikator Baterai, LED RGB & Bonus Lanyard
Kabel USB Type C
60x70x157mm
Bahan Plastik PC
White/Pink/Black



PF-300 FANORA

2 inch
18650 1500mAh
Durasi Kipas : 1 Jam (Kecepatan Tertinggi) 5 Jam (Kecepatan Terendah)
Indikator Baterai & Bonus Lanyard
Kabel USB Type C
65x53x185mm
Bahan Plastik ABS + PC + PP
White/Beige/Green/Grey



PF-300 WINDY

1.8 inch
18650 1200mAh
Durasi Kipas : 1 Jam (Kecepatan Tertinggi) 4.5 Jam (Kecepatan Terendah)
Indikator Baterai & Bonus Lanyard
Kabel USB Type C
57x56x160mm
Bahan Plastik ABS
White/Beige/Tosca/Grey

- HEMBUSAN ANGIN KUAT
- DAYA TAHAN LAMA
- RINGAN & PORTABEL

KAWACHI

FLOWER FAN LIGHT

13" WIDE



FFL-433

14 Watt
AC 85-240V (50-60Hz)
Holder E27
3 Level Cahaya: Level 1: 100%, Level 2: 60% & Level 3: 30%
3 Kecepatan Angin: Sejuk, Sedang & Dingin
Fungsi Pengatur Waktu
Proteksi Auto Stop
⌀ 33xH15cm
Dilengkapi Remot

7W + 7W

PILIHAN WARNA DAUN KIPAS



16.5" WIDE



FFL-642

30 Watt
AC 85-265V (50-60Hz)
Fungsi Dimmer + 3 Warna: Super White, Natural White dan Warm White
3 Kecepatan Angin: Sejuk, Sedang & Dingin
Fungsi Pengatur Waktu
Proteksi Auto Stop
42x20.5cm
Dilengkapi Remot

15W + 15W

PILIHAN WARNA



20.5" WIDE



FFL-652

40 Watt
AC 85-265V (50-60Hz)
Fungsi Dimmer + 3 Warna: Super White, Natural White dan Warm White
3 Kecepatan Angin: Sejuk, Sedang & Dingin
Fungsi Pengatur Waktu
Proteksi Auto Stop
52x18.5cm
Dilengkapi Remot

22W + 18W

PILIHAN WARNA



FLOWER FAN HOLDER



16.5" WIDE

FFH-426

Daya Kipas 15 Watt
Daya Lampu Tambahan Max 100W
AC 85-240V (50-60Hz)
3 Kecepatan Angin: Sejuk, Sedang & Dingin
Fungsi Pengatur Waktu
Proteksi Auto Stop
42x19cm
Dilengkapi Remot

20.5" WIDE

FFH-526

Daya Kipas 18 Watt
Daya Lampu Tambahan Max 100W
AC 85-240V (50-60Hz)
3 Kecepatan Angin: Sejuk, Sedang & Dingin
Fungsi Pengatur Waktu
Proteksi Auto Stop
52x19cm
Dilengkapi Remot

PILIHAN WARNA



KAWACHI

FLOOR FAN HYBRID DC SYSTEM





FF-16DC	FF-18DC	FF-20DC
16"	18"	20"
Daya Rendah (3W - 85W)	Daya Rendah (3W - 100W)	Daya Rendah (3W - 125W)
Brushless DC Motor Lebih Awet & Tahan Lama	Brushless DC Motor Lebih Awet & Tahan Lama	Brushless DC Motor Lebih Awet & Tahan Lama
Kebisingan Tingkat Rendah	Kebisingan Tingkat Rendah	Kebisingan Tingkat Rendah
Hembusan Angin Kencang	Hembusan Angin Kencang	Hembusan Angin Kencang

FF-18SDC
18"
Daya Rendah (3W - 85W)
Brushless DC Motor Lebih Awet & Tahan Lama
Kebisingan Tingkat Rendah
Hembusan Angin Kencang
Bisa Diputar (Swing)
Switch Pengatur Kecepatan

KECEPATAN 1.500 RPM PUTARAN

PENGATURAN TINGKAT KECEPATAN 25

GARANSI MOTOR 2 TAHUN GARANSI MOTOR

SWITCH PENGATUR KECEPATAN

HEMAT LISTRIK 70%

WALL FAN HYBRID REMOTE CONTROL







WF-18DC	WF-20DC
18"	20"
Daya Rendah (3W - 100W)	Daya Rendah (3W - 125W)
Brushless DC Motor Lebih Awet & Tahan Lama	Brushless DC Motor Lebih Awet & Tahan Lama
Kebisingan Tingkat Rendah	Kebisingan Tingkat Rendah
Hembusan Angin Kencang	Hembusan Angin Kencang

KECEPATAN 1.500 RPM PUTARAN

PENGATURAN TINGKAT KECEPATAN 25

GARANSI MOTOR 2 TAHUN GARANSI MOTOR

HEMAT LISTRIK 70%

KAWACHI

STAND FAN HYBRID DC SYSTEM



JARAK REMOTE HINGGA 20 METER

HF-20DC
20"
Daya Rendah (3W - 95W)
Brushless DC Motor Lebih Awet & Tahan Lama
Kebisingan Tingkat Rendah
Hembusan Angin Kencang
Bisa Diputar (Swing)
Fungsi Pengatur Waktu



SWITCH CONTROL

HF-20SDC
20"
Daya Rendah (3W - 95W)
Brushless DC Motor Lebih Awet & Tahan Lama
Kebisingan Tingkat Rendah
Hembusan Angin Kencang
Bisa Diputar (Swing)
Switch Pengatur Kecepatan









HEMAT LISTRIK 70%

KAWACHI®

CALCULATOR





KX-512

12 Digits
99 STP
Check Correct
Large Display
Two Way Power
Baterai Kancing



KX-512B

12 Digits
112 STP
Check Correct
Changeable Battery AAA (1pc)
Two Way Power



KX-512W

12 Digits
99 STP
Check Correct
Large Display
Two Way Power
Baterai Kancing



KX-512T BLACK

12 Digits
99 STP
Check Correct
Auto Power OFF Function
Two Way Power
Baterai Kancing



KX-512T WHITE

12 Digits
99 STP
Check Correct
Auto Power OFF Function
Two Way Power
Baterai Kancing



KX-912

12 Digits
99 STP
Check Correct
Large Display
Two Way Power
Baterai AA 1pc



KX-2020SP

12 Digits
120 STP
Check Correct
Human Voice (Indonesia Language)
Date, Time & Alarm
Baterai AA 2pcs



KJ-837

12 Digits
112 STP
Check Correct
Large Display
Two Way Power
Baterai AA 1pc



KX-688L

12 Digits
112 STP
Check Correct
Large Display
Two Way Power
Baterai AA 1pc




KX-868L

12 Digits
112 STP
Check Correct
Quick Response
Two Way Power
Baterai Kancing

KAWACHI

CALCULATOR



KX-9500

12 Digits
112 STP
Check Correct
Large Display
Two Way Power
Baterai AAA 1pc



KX-8800GC

12 Digits
99 STP
Check Correct
Large Display
Two Way Power
Baterai AA 1pc



KX-6S

12 Digits
112 STP
Check Correct
Large Display
Dual Power
Baterai AA 1pc



KX-7S

12 Digits
112 STP
Check Correct
Quick Response
Two Way Power
Baterai AA 1pc



KC-8514

14 Digits
112 STP
Check Correct
Auto Reply
Two Way Power
Baterai AA 1pc



KC-541

14 Digits
112 STP
Check Correct
Auto Reply
Two Way Power
Baterai AAA 1pc



KC-542

14 Digits
112 STP
Check Correct
Auto Reply
Two Way Power
Baterai AAA 1pc



KC-625

14 Digits
112 STP
Check Correct
Auto Reply
Two Way Power
Baterai AA 1pc



KC-715T

14 Digits
112 STP
Check Correct
Auto Reply
Two Way Power



KX-351MS COLOR

10 Digits
240 STP
Check Correct
Big Display
Scientific
Baterai AAA 2pcs



KX-351MS BLACK

10 Digits
240 STP
Check Correct
Big Display
Scientific
Baterai AAA 2pcs



KX-8814

14 Digits
112 STP
Check Correct
Auto Reply
Pilihan Warna: Hitam & Abu
Baterai AAA 1pc



KX-868C

12 Digits
112 STP
Check Correct
Auto Reply
HD Screen
Solar/Battery Power




KX-868L

12 Digits
112 STP
Check Correct
Auto Reply
HD Screen & MII Display
Solar/Battery Power



S-10

10 + 2 Digits
401 Functions
Tablet Tulis + Pena
Auto Reply
HD Screen
Scientific Calculator



KX-3833C

14 Digits
112 STP
Check Correct
Auto Reply
Layar Besar HD
Solar/Battery Power



KX-15E

14 Digits
112 STP
Check Correct
Auto Reply
Solar/Battery Power



KX-512P

12 Digits
112 STP
Check Correct
Auto Reply
Solar/Battery Power



KX-120T

12 Digits
120 STP
Check Correct
Auto Reply
Solar/Battery Power



KX-20E

12 Digits
120 STP
Check Correct
Auto Reply
Layar Besar HD
Solar/Battery Power

KAWACHI

CALCULATOR



KX-23E

12 Digits
112 STP
Check Correct
Auto Reply
Baterai AAA 1pcs
Blue/Pink



KX-300LD

12 Digits
120 STP
Check Correct
Auto Reply
HD Screen
Light Wake

CALCULATOR PREMIUM SERIES



PS-743

14 Digits
112 STP
Check Correct
Auto Reply
Layar Besar HD
Solar/Battery Power



PM-780

14 Digits
112 STP
Check Correct
Auto Reply
Layar Besar HD
Solar/Battery Power



PM-791

14 Digits
112 STP
Check Correct
Auto Reply
Layar Besar HD
Solar/Battery Power



PM-795

14 Digits
112 STP
Check Correct
Auto Reply
Layar Besar HD
Solar/Battery Power



PM-798

12 Digits
112 STP
Check Correct
Auto Reply
Layar Besar HD
Solar/Battery Power

KAWACHI

LAMP HOLDER



KWC 128

Fitting Plafon Dart
Bahan Keramik



KWC 308

Fitting Plafon
Bahan Bakelit



SW-401

Fitting Gantung
Bahan Bakelit



KWC 608

Fitting Plafon
Bahan Bakelit



KWC 708

Fitting Plafon
Bahan Bakelit



FE-65

Fitting Sambung
Bahan Plastik PC
E27 to E27
Panjang 6cm



FE-95

Fitting Sambung
Bahan Plastik PC
E27 to E27
Panjang 9cm



JL-777S (BLACK)

Fitting Gantung
100% Waterproof
Kabel Serabut
Bahan Plastik PVC + Karet



JL-888S (ORANGE)

Fitting Gantung
100% Waterproof
Kabel Serabut
Bahan Plastik PVC + Karet



JL-777K (BLACK)

Fitting Gantung
100% Waterproof
Kabel Tunggal
Bahan Plastik PVC + Karet



JL-888K (ORANGE)

Fitting Gantung
100% Waterproof
Kabel Tunggal
Bahan Plastik PVC + Karet



KWC-808

Fitting Plafon
Bahan Plastik ABS



KWC-908

Fitting Plafon
Bahan Plastik ABS



FF-20,30,40,50

Fitting Sambung E27 to E27
Bahan Plastik ABS
FF-20 (L19.5cm), FF-30 (L29.5cm) FF-40 (L39.5cm), FF-50 (L49.5cm)



FC-30,40,50

Fitting Sambung E27 to AC220V
Bahan Plastik ABS
FC-30 (30cm), FC-40 (40cm) FC-50 (50cm)



JB-681

Fitting Gantung Orange/Merah Putih
Bahan Bakelit



FW-10

Fitting Gantung
Waterproof
Panjang: 10m
Bahan Plastik PVC
Qty. Lamp Holder: 10pcs



KWC F2

Fitting Cabang 2
E27 TO E27
68x75mm
Bahan Plastik + PVC



JB-685

Fitting Gantung
40x56mm
Bahan Bakelite
White / Orange



JB-686

Fitting Gantung
60x51mm
Bahan Plastik PP
White / Orange



KW-105S

Fitting Gantung
100% Waterproof
Kabel Serabut
Warna Hitam



KW-106S

Fitting Gantung
100% Waterproof
Kabel Serabut
Warna Abu-Abu



KW-105K

Fitting Gantung
100% Waterproof
Kabel Kawat
Warna Hitam



KW-106K

Fitting Gantung
100% Waterproof
Kabel Kawat
Warna Abu-Abu

KAWACHI

LAMP HOLDER



FA-01G

Fitting Plafon Ukir
Warna Putih Emas
150x50mm



FA-01GS

Fitting Plafon Ukir
Warna Emas Silver
150x50mm



FA-01SG

Fitting Plafon Ukir
Warna Silver Emas
150x50mm



FA-02G

Fitting Plafon Ukir
Warna Putih Emas
150x50mm



FA-02GS

Fitting Plafon Ukir
Warna Emas Silver
150x50mm



FA-02SG

Fitting Plafon Ukir
Warna Silver Emas
150x50mm



FA-03G

Fitting Plafon Ukir
Warna Putih Emas
150x50mm



FA-03GS

Fitting Plafon Ukir
Warna Emas Silver
150x50mm



FA-03SG

Warna Emas
150x50mm
150x50mm



FA-04G

Fitting Plafon Ukir
Warna Putih Emas
150x50mm



FA-04GS

Fitting Plafon Ukir
Warna Emas Silver
150x50mm



FA-04SG

Fitting Plafon Ukir
Warna Silver Emas
150x50mm



KW-104AG

Fitting Plafon Ukir
Warna Emas
150x50mm



KW-104BG

Fitting Plafon Ukir
Warna Emas
150x50mm



KW-104CG

Fitting Plafon Ukir
Warna Emas
150x50mm



KW-104DG

Fitting Plafon Ukir
Warna Emas
150x50mm



KW-104EG

Fitting Plafon Ukir
Warna Emas
150x50mm



KW-104S1

Fitting Plafon Ukir
Warna Silver
150x50mm



KW-104S2

Fitting Plafon Ukir
Warna Silver
150x50mm



KF-24P

Kap Fitting Lampu Outdoor
Tersedia Warna Abu & Hitam
Bahan Plastik
Diameter 24cm



KF-24ALU

Kap Fitting Lampu Outdoor
Bahan Aluminium
Diameter 24cm



KF-30ALU

Kap Fitting Lampu Outdoor
Diameter 30cm
Bahan Aluminium



KF-35ALU

Kap Fitting Lampu Outdoor
Diameter 35cm
Bahan Aluminium

KAWACHI

SOCKET



STEKER T-MULTI OS-6

2200W
10A
250V
4.8x5.5cm
Colokan Listrik 3 Cabang



STEKER SWITCH SK-9

2200W
10A
250V
4x6.3cm
Terminal Kuningan



STEKER T-SERBA GUNA OS-8

2200W
10A
250V
4.8x7cm
Lampu Indikator
Asli Kuningan



STEKER ARDE SK-7

2200W
10A
250V
3.7x3.7cm
Pin Kuningan



STEKER T-SERBA GUNA OS-7

2200W
10A
250V
7x5.5cm
Colokan Listrik 5 Cabang
Black / Blue / Orange



STOP KONTAK KV-33F & KV-35F

2200W
10A
250V
3 Lubang
Panjang Kabel: KV-33F (3m) & KV-35F (5m)
Dilengkapi Arde (Pembumian)
Terminal Kuningan



STOP KONTAK KV-43F& KV-45F

2200W
10A
250V
4 Lubang
Panjang Kabel: KV-43F (3m) & KV-45F (5m)
Dilengkapi Arde (Pembumian)
Terminal Kuningan



STOP KONTAK KV-53F& KV-55F

2200W
10A
250V
5 Lubang
Panjang Kabel: KV-53F (3m) & KV-55F (5m)
Dilengkapi Arde (Pembumian)
Terminal Kuningan



OVER STEKER WANPRO OS-5

2200W
10A
250V
3.7x3.7cm
Terminal Kuningan



SAKLAR 1B ENGKEL SW-01 SERI 6 (SW-601)

10A
250V
8x8cm
Bahan Bakelit
Cahaya Radium



SAKLAR 1B SERI SW-02 SERI 6 (SW-602)

10A
250V
8x8cm
Bahan Bakelit
Cahaya Radium



STOP KONTAK 1B SW-07 SERI 6 (SW-607)

16A
250V
8x8cm
Bahan Bakelit



SAKLAR 1B ENGKEL SW-01 SERI 8 (SW-801)

10A
250V
8x8cm
Bahan Bakelit
Cahaya Radium



SAKLAR 1B SERI SW-02 SERI 8 (SW-802)

10A
250V
8x8cm
Bahan Bakelit
Cahaya Radium



STOP KONTAK 1B SW-07 SERI 8 (SW-807)

16A
250V
8x8cm
Bahan Bakelit



ENGKEL STOP 1B SW-08 SERI 8 (SW-808)

10A
250V
8x8cm
Bahan Bakelit
Cahaya Radium



SAKLAR OB ENGKEL SW-01 SERI 9 (SW-901)

10A
250V
5.8x4x5.8cm
Bahan Bakelit
Cahaya Radium



SAKLAR OB SERI SW-02 SERI 9 (SW-902)

10A
250V
5.8x4x5.8cm
Bahan Bakelit
Cahaya Radium



STOP KONTAK OB SW-07 SERI 9 (SW-907)

16A
250V
5.8x4x5.8cm
Bahan Bakelit



ENGKEL STOP OB SW-08 SERI 9 (SW-908)

10A
250V
5.8x4x5.8cm
Bahan Bakelit
Cahaya Radium

KAWACHI

SOCKET



STEKER WANPRO SK-5P

10A
250V
6.4x3.6cm
Diameter 3.5cm
Terminal Kuningan, ABS



STEKER WANPRO WARNA SW SK-5 SKW

10A
250V
6.5x3.8cm
Diameter 3.5cm
Terminal Kuningan, ABS



WANPRO SAKLAR SK-5 SKP

10A
250V
6.4x5.6cm
Diameter 3.5cm
Terminal Kuningan, ABS



FITTING COLOK HITAM KW-05FCH

10A
250V
5.7x3.1cm
Diameter 4cm
Terminal Kuningan, ABS



FITTING COLOK PUTIH KW-05FCP

10A
250V
5.7x3.1cm
Diameter 4cm
Terminal Kuningan, ABS



FITTING KOMBINASI KW-06KB

10A
250V
7.3x3.1cm
Diameter 4.5cm
Terminal Kuningan, ABS



STEKER ARDE BETINA SK-7BTN

10A
250V
6.5x4cm
Diameter 4cm
Terminal Kuningan, ABS



FITTING GANTUNG PAYUNG KW-07PY

10A
250V
11x3.2cm
Diameter 15.5cm
Terminal Kuningan, ABS



1B ENGKEL NEW GEE SW-01 SERI 3

10A
250V
80x80x37mm
Terminal Kuningan + PC



1B SERI NEW GEE SW-02 SERI 3

10A
250V
80x80x37mm
Terminal Kuningan + PC



1B STOP KONTAK ARDE NEW GEE SW-07 SERI 3

10A
250V
80.5x80.5x45.5mm
Terminal Kuningan + PC



1B ENGKEL STOP ARDE NEW GEE SW-08 SERI 3

10A
250V
80.5x80.5x45.5mm
Terminal Kuningan + PC



0B ENGKEL NEW GEE SW-01 SERI 4

10A
250V
60x60x40mm
Terminal Kuningan + PC



0B SERI NEW GEE SW-02 SERI 4

10A
250V
60x60x40mm
Terminal Kuningan + PC



0B STOP KONTAK ARDE NEW GEE SW-07 SERI 4

10A
250V
60x60x40mm
Terminal Kuningan + PC



0B ENGKEL STOP ARDE NEW GEE SW-08 SERI 4

10A
250V
72.5x60.5x39.5mm
Terminal Kuningan + PC



SAKLAR 1B ENGKEL SW-01 STAR

10A
250V
8.5x8.5cm
Bahan Terminal Kuningan ABS
Cahaya Radium



SAKLAR 1B SERI SW-02 STAR

10A
250V
8.5x8.5cm
Bahan Terminal Kuningan ABS
Cahaya Radium



SAKLAR 1B TRIPLE SW-03 STAR

10A
250V
8.5x8.5cm
Bahan Terminal Kuningan ABS
Cahaya Radium



STOP KONTAK 1B SW-07 STAR

10A
250V
8.5x8.5cm
Bahan Terminal Kuningan ABS

KAWACHI

SOCKET



SAKLAR IB ENGKEL STOP SW-08 STAR

10A
250V
8.5x8.5cm
Bahan Terminal Kuningan ABS
Cahaya Radium



OUTBOW INBOW DOOS MSW-36

Warna Putih
8.5x8.5x3.6cm
Bahan Terminal Kuningan ABS



STEKER TUSUK KONTAK SK-8 I

10A
250V
70x48x74mm
Terminal Kuningan + ABS
Warna Putih



STEKER TUSUK KONTAK SK-8 II

10A
250V
93x71x80mm
Terminal Kuningan + ABS
Warna Putih



STEKER TUSUK KONTAK SK-8 III

10A
250V
137x70x77mm
Terminal Kuningan + ABS
Warna Putih



STEKER TUSUK KONTAK SK-5

10A
250V
90x82x61mm
Terminal Kuningan + ABS
Warna Cream



STEKER TUSUK KONTAK SK-6

10A
250V
90x102x61mm
Terminal Kuningan + ABS
Warna Cream



STOP KONTAK SW-06

10A
250V
86x86x38mm
Bahan Terminal Kuningan ABS
Warna Putih



SAKLAR IB ENGKEL SW-11

10A
250V
86x86x38mm
Bahan Terminal Kuningan ABS
Warna Putih



SAKLAR SERI SW-12

10A
250V
86x86x38mm
Bahan Terminal Kuningan ABS
Warna Putih



SAKLAR TRIPLE SW-13

10A
250V
86x86x38mm
Bahan Terminal Kuningan ABS
Warna Putih



ENGKEL STOP SW-18

10A
250V
86x86x38mm
Bahan Terminal Kuningan ABS
Warna Putih



CAM STARTER KSC-15

15A
250V
94x56x75mm
Bahan Terminal Kuningan ABS
Warna Abu-Abu



CAM STARTER KSC-30

30A
250V
133x80x143mm
Bahan Terminal Kuningan ABS
Warna Abu-Abu

KAWACHI

MULTISOCKET USB



SQ-155 S521
MULTISOCKET USB WITH GROUNDING PROTECTION

Sakeral Utama
2500W
10A
250V - 50/60Hz
Color: White / Black
25.5x9x4cm
5 Lubang Socket
2 Port USB & 1 Port Type C
Panjang Kabel 10cm
Bahan Inti Tembaga



SQ-575 S631
MULTISOCKET USB WITH GROUNDING PROTECTION

Sakeral Utama
2500W
10A
250V - 50/60Hz
Color: White / Black
22x11x4cm
6 Lubang Socket
3 Port USB & 1 Port Type C
USB Max 2.1A
Panjang Kabel 3m
Bahan Inti Tembaga



SQ-575 S322T
MULTISOCKET USB WITH GROUNDING PROTECTION

Sakeral Independen
3000W
10A
110/250V - 50/60Hz
Color: White / Black / Grey
201x90x40mm
3 Lubang Soket
2Port USB & 2 Port Type C
USB Max 2.4A
Panjang Kabel 2m
Bahan Inti Tembaga



SQ-575 S422T
MULTISOCKET USB WITH GROUNDING PROTECTION

Sakeral Independen
3000W
10A
110/250V - 50/60Hz
Color: White / Black / Grey
244x90x40mm
4 Lubang Soket
2 Port USB & 2 Port Type C
USB Max 2.4A
Panjang Kabel 2m
Bahan Inti Tembaga



SQ-575 S522T
MULTISOCKET USB WITH GROUNDING PROTECTION

Sakeral Independen
3000W
10A
110/250V - 50/60Hz
Color: White / Black / Grey
287x90x40mm
5 Lubang Soket
2 Port USB & 2 Port Type C
USB Max 2.4A
Panjang Kabel 2m
Bahan Inti Tembaga



SQ-155 ST421
SMART CUBE TRAVEL ADAPTER

Sakeral Utama
2500W
10A
110/250V - 50/60Hz
71x71x120mm
4 Lubang Soket
2 Port USB & 1 Port Type C
USB Max 2A
Bahan Inti Full Tembaga



SQ-575 S421
MULTISOCKET USB WITH GROUNDING & OVERLOAD PROTECTION

Sakeral Utama
3000W
10A
110/250V - 50/60Hz
139x66mm
4 Lubang Soket
2 Port USB & 1 Port Type C
USB Max 2.4A
Panjang Kabel 3m
Bahan Inti Tembaga



SQ-575 S642
MULTISOCKET USB WITH GROUNDING & OVERLOAD PROTECTION

2 Sakeral Utama
3000W
10A
110/250V - 50/60Hz
160x160x168mm
6 Lubang Soket
4 Port USB & 2 Port Type C
USB Max 2.4A
Panjang Kabel 2m
Bahan Inti Tembaga

SNI
04-3892.1.1-2003
IEC 60884-1:2014
NPB 1-101-027-232307-5

KAWACHI

TRAVO



HCF-1060

60W
12V 5A
100-265V
15x5.3x1.8cm



HCF-1120

120W
12V 10A
100-265V
22.6x5.3x1.8cm



HCF-1150

150W
12V 12.5A
100-265V
25x5.3x2.2cm



HCF-1200

200W
12V 16.7A
180-265V
28.2x5.3x2.2cm



HCF-1300

300W
12V 25A
180-265V
30.8x5.3x2.2cm



HCF-1360

360W
12V 30A
180-265V
30.8x5.3x2.2cm



HCF-1400

400W
12V 33.3A
180-265V
38.8x5.3x2.2cm

ACCESSORIES



SO-01

TALI SENTER KEPALA

Untuk segala jenis senter kepala



KDC-50W

LED DRIVER

Aplikasi: Lampu Jalan PJU Cobra

Input: AC 175-240V50/60Hz

Output: DC 130-165V 280mA 5%



SO-02

TRIPOD SENTER KEPALA

Kompatibel dengan Senter Kepala tipe :

- LY-340A	- LY-450A/C+	- LG-701X	- LY-541A
- LY-350A	- LL-445D	- LG-901P	- LY-456A ARMY/NAVY
- LY-385T	- LL-455S	- LG-951P	- LY-571A
- LY-390T	- LY-470A/B/C	- LC-100	- LY-421A
- LY-401T	- LY-995A	- LP-100G	- LY-431A ARMY/NAVY
- LY-416A/B/C	- LY-1520A+	- LP-150H	- LY-305Z
- LY-430A/B/C	- LS-740A/B/C	- LP-890G	- LB-855A
- LY-440A	- LK-W70	- LP-8150H	- LG-751J
			- LS-775G



CK-9

POWER CONNECTOR DRIVERLESS

- AC 220V
- Cocok untuk LED Strip dengan lebar 9mm

KAWACHI

WIRELESS SPEAKER



XP-1 X-BOOM

Bluetooth V5.3 + EDR
57mm 4Ω 62mm diaphragm bass 5w*1
Jarak Wireless ≥ 10m
1200mAh, USB Type C
Bluetooth/TF/USB/FM/TWS
Red/Black/Blue/Green



XP-1 X-DUAL

Bluetooth V5.3 + EDR
52mm 4Ω 50*90mm diaphragm bass 5w*2
Jarak Wireless ≥ 10m
1200mAh, USB Type C
Bluetooth/TF/USB/FM/TWS
Red/Black/Blue/Green



XP-1 X-MERCY

Bluetooth V5.3 + EDR
57mm 4Ω 5w*1
Jarak Wireless ≥ 10m
1200mAh, USB Type C
Bluetooth/TF/USB/FM/TWS
White/Red/Black/Blue/Yellow



XP-1 X-MINI

Bluetooth V5.3 + EDR
52mm 4Ω 5w*1
Jarak Wireless ≥ 10m
800mAh, Type USB V8
Bluetooth/TF/USB/FM/TWS
Gray/Red/Black/Blue/Green



XP-1 X-PLAY

Bluetooth V5.3 + EDR
52mm 4Ω 3w*1
Jarak Wireless ≥ 10m
Speaker: 800mAh, Mic: 300mAh
USB Type C
Bluetooth/TF/USB/FM/AUX
Pink/Beige/Blue



XP-1 X-IDOL

Bluetooth V5.3 + EDR
52mm 4Ω 5w*1
Jarak Wireless ≥ 10m
Speaker: 800mAh, Mic: 300mAh
USB Type C
Bluetooth/TF/USB/FM/AUX
Pink/Beige/Blue



XP-1 X-BISTRO

Bluetooth V5.3 + EDR
76mm 2Ω 5w*2
Jarak Wireless ≥ 10m
1200mAh, USB Type C
Bluetooth/TF/USB/FM/TWS/AUX
Black/Blue/Green



XP-1 X-CRYSTAL

Bluetooth V5.3 + EDR
52mm 4Ω 5w*1
Jarak Wireless ≥ 10m
800mAh, USB Type C
Bluetooth/TF/USB/FM/TWS/AUX
RGB Color



XP-1 X-LINK

Bluetooth V5.3 + EDR
52mm 4Ω 5w*2
Jarak Wireless ≥ 10m
1200mAh, USB Type C
Bluetooth/TF/USB/FM/TWS/AUX
RGB Color



XP-2 X-CORE

Bluetooth V5.3 + EDR
52mm 4Ω 5w*1
Jarak Wireless ≥ 10m
1200mAh, USB Type C
Bluetooth/TF/USB/FM/TWS
Red/Black/Blue



XP-2 X-TONE

Bluetooth V5.3 + EDR
52mm 4Ω 5w*1
Jarak Wireless ≥ 10m
1200mAh, USB Type C
Bluetooth/TF/USB/FM/TWS
Red/Black/Blue



XP-2 X-JAZZ

Bluetooth V5.3 + EDR
66mm 4Ω 5w*1
Jarak Wireless ≥ 10m
1200mAh, USB Type C
Bluetooth/TF/USB/FM/TWS
Gold/Black/Blue/Green



XP-2 X-POCKET

Bluetooth V5.3 + EDR
45mm 4Ω 5w*1
Jarak Wireless ≥ 10m
500mAh, USB Type C
Bluetooth/TF/USB/FM/TWS
Red/Black/Blue/Purple



XP-2 X-LOOP

Wireless V5.3 + EDR
57mm 4Ω 8w*1
Jarak Wireless ≥ 10m
500mAh, USB Type C
Bluetooth/TF/USB/FM/TWS
Black/Blue/Orange



XP-2 X-MARS

Wireless V5.3 + EDR
55mm 4Ω 5w*1 + Diaphragm Bass
Jarak Wireless ≥ 10m
1200mAh, USB Type C
Bluetooth/TF/USB/FM/AUX/TWS
Black/Blue/Orange



XP-2 X-FLOW

Wireless V5.3 + EDR
55mm*, 8W*1
Jarak Wireless ≥ 10m
1200mAh, USB Type C
Bluetooth/TF/USB/FM/AUX/TWS
Black/Blue/Orange

KAWACHI

WIRELESS SPEAKER PREMIUM SERIES



XP-3 X-AURA

Bluetooth V5.3 + EDR
52mm 4Ω 7w*2
Jarak Wireless ≥ 10m
1600mAh, USB Type C
Bluetooth/TF/USB/FM/TWS/AUX
Red/Black/Blue/Green
IPX6



XP-3 X-TWIN

Bluetooth V5.3 + EDR
57mm 4Ω 10w*2
Jarak Wireless ≥ 10m
1200mAh, USB Type C
Bluetooth/TF/USB/FM/TWS/AUX
Black/Blue/Purple/Khaki
IPX6



XP-3 X-ALPHA

Bluetooth V5.3 + EDR
57mm 4Ω 15w*2
Jarak Wireless ≥ 10m
3000mAh, USB Type C
Bluetooth/TF/USB/FM/TWS/AUX
Black/Blue/Purple/Khaki
IPX6



XP-3 X-ZEN

Bluetooth V5.3 + EDR
76mm 4Ω 15w*2
Jarak Wireless ≥ 10m
4000mAh, USB Type C
Bluetooth V5.3
Black
IPX4



XP-4 X-DUET

Bluetooth V5.3 + EDR
78mm 4Ω 25w*2
Jarak Wireless ≥ 10m
3600mAh, USB Type C
Bluetooth/TF/USB/FM/AUX
Black
Microphones with VST (Original, Monster, Female, Male & Children Voice)

WIRELESS EARBUD



TW1-A

Bluetooth V5.3 + EDR
5mW, S/N≥102DB
DC 5V, Charger USB Type C
Jarak Wireless ≥ 10m
Fast Charging
Black/White
IPX6



TW1-B

Bluetooth V5.3 + EDR
5mW, S/N≥102DB
DC 5V, Charger USB Type C
Jarak Wireless ≥ 10m
Fast Charging
Black/White
IPX6

KAWACHI

SMART INTELLIGENT TV





ANDROID 12 | DVB T2 | USB Supported | HDMI Mirroring

TVS-32 SMART ANDROID

32 inch
Resolution 1366x768
RAM 1GB
ROM 8GB
65W
100-220V
50-60Hz

TVS-43 SMART ANDROID

43 inch
Resolution 1920x1080
RAM 1GB
ROM 8GB
75W
100-220V
50-60Hz





DVB T2 | USB Supported | HDMI Mirroring

TVM-32 MIRACAST

32 inch
Resolution 1366x768
RAM 1GB
ROM 8GB
65W
100-220V
50-60Hz

DIGITAL RECEIVER / SET TOP BOX



PG-22M

2 Port USB
Port HDMI, RCA & RGB
Dapar Merekam Siaran TV
Kualitas Gambar FULL HD 1050p
Kabel HDMI 80cm & Kabel RCA

KAWACHI

ADAPTOR CHARGER



SB-51	SB-61
500mA	600mA
Jack Kecil	Jack Kecil



SB-52	SB-62
500mA	600mA
Kepala Angka 8	Kepala Angka 8



SB-53	SB-63
500mA	600mA
Kepala D	Kepala D

SB-91
900mA
Jack Kecil

SB-92
900mA
Kepala Angka 8



LG-901P
4.2V 1A
Kepala Angka 8



LP-100G & LP-150H
8.7V 1.8A
Kepala Angka 8



SB-55
500mA
Type C



SB-65
600mA
Type C



SBA-1A
Output 5V 1A
Single USB Charger
Bahan ABS




SBS-U1
AC100-240V / 50-60Hz 2.4A Max
Output DC 5V / 2.4A 12W Max
Dual Port USB A
86x45x26mm



SBS-UC1
AC100-240V / 50-60Hz 0.5A
Dual Port USB A & USB C
PD & QC 3.0 20W Max
86x45.5x27.5mm



SBS-CF1
AC100-240V / 50-60Hz 0.7A
Port USB C
Super Fast Charging PPS 25W Max
79x42x26mm



SBS-UF1
AC100-240V / 50-60Hz 0.5A
Port USB A Output 20W Max
79.5x42.5x27.5mm

KAWACHI

ADAPTOR POWER SUPPLY



HCA-1A SINGLE JACK

Tegangan Input: 110V-220V
AC 220V to DC 12V
12V 1A
Ukuran Jack: 5.5x2.5mm
75x40x38mm



HCA-1AD DOUBLE JACK

Tegangan Input: 110V-220V
AC 220V to DC 12V
12V 1A
Ukuran Jack: 5.5x2.5mm & 4.0x1.7mm
75x40x38mm



HCA-2A SINGLE JACK

Tegangan Input: 110V-220V
AC 220V to DC 12V
12V 2A
Ukuran Jack: 5.5x2.5mm
82x50x34mm



HCA-2AD DOUBLE JACK

Tegangan Input: 110V-220V
AC 220V to DC 12V
12V 2A
Ukuran Jack: 5.5x2.5mm & 4.0x1.7mm
82x50x34mm



HCA-3A SINGLE JACK

Tegangan Input: 110V-220V
AC 220V to DC 12V
12V 3A
Ukuran Jack: 5.5x2.5mm
86x48x31mm



HCA-3AD DOUBLE JACK

Tegangan Input: 110V-220V
AC 220V to DC 12V
12V 3A
Ukuran Jack: 5.5x2.5mm & 4.0x1.7mm
86x48x31mm



HCA-5A SINGLE JACK


Tegangan Input: 110V-220V
AC 220V to DC 12V
12V 5A
Ukuran Jack: 5.5x2.5mm
126x52x32mm



HCA-5AD DOUBLE JACK

Tegangan Input: 110V-220V
AC 220V to DC 12V
12V 5A
Ukuran Jack: 5.5x2.5mm & 4.0x1.7mm
126x52x32mm

KABEL CHARGER



SBK-1A

Output 1A
Panjang 1 Meter





SBK-2A

5V - 12V
Max 2.4A
Fast Charging Max 20W
Data Tranmission 480Mbps
Panjang 1 Meter

KAWACHI

PHOTO CONTROLLER



AS-2203A

AC 220V 3A



AS-2206A

AC 220V 6A



AS-2210A

AC 220V 10A

BATTERY



TIPE BIASA



TIPE T

1200MAH
T-1200MAH



TIPE BIASA



TIPE T

1500MAH
T-1500MAH



TIPE BIASA



TIPE T

2000MAH
T-2000MAH



TIPE BIASA



TIPE T

2500MAH
T-2500MAH



LITHIUM 21700
T-4000MAH

Khusus Untuk KU-60Z



LITHIUM 26650
T-5000MAH

Khusus Untuk KU-120Z



LITHIUM 41700
9000MAH

Khusus Untuk KU-160Z
Berfungsi sebagai Powerbank

CUTTER & SCISSOR



A-300B



A-3

18mm



TC-2

2 inch (50mm)



GTA-16

Gunting Teflon 16cm
Anti Karat

GTA-18

Gunting Teflon 18cm
Anti Karat

GTA-21

Gunting Teflon 21cm
Anti Karat

KAWACHI

MCB BOX



MCK-8803
3 WAY

LED Indikator
Tahan Panas
Bisa Tempel/Tanam di Dinding
Blok Terminal Kuningan



MCK-8804
4 WAY

LED Indikator
Tahan Panas
Bisa Tempel/Tanam di Dinding
Blok Terminal Kuningan



MCK-8808
8 WAY

LED Indikator
Tahan Panas
Bisa Tempel/Tanam di Dinding
Blok Terminal Kuningan



MCK-8812
12 WAY

LED Indikator
Tahan Panas
Bisa Tempel/Tanam di Dinding
Blok Terminal Kuningan

SOLDERING IRON & VINYL ELECTRICAL FLAME RETARDANT TAPE



SI-S60


60W
220V
Menggunakan Elemen Pemanas Nikel- Kromlum Yang Cepat Panas



PVC-A20M

7mils x 3/4" x 20m
RoHS
Water Resistant
Suitable Fo Use At Below 600V And 80°C

KABEL



KB-182
KABEL SETRIKA

1.8 Meter
2 Kabel
16A~250V

KB-183
KABEL SETRIKA

1.8 Meter
3 Kabel
16A~250V



KRB-122
KABEL RICE COOKER

1.2 Meter
2x0.5
10A~250V

KRC-182
KABEL RICE COOKER

1.2 Meter
2x0.5
10A~250V



KB-112
KABEL ANGKA 8

1.1 Meter



Putih (P) Hitam (H)

PREMIUM NYLON CABLE TIE

2.5x100mm
2.5x150mm
2.5x200mm
3.6x150mm
3.6x200mm
3.6x250mm
3.6x300mm
4.8x200mm
4.8x250mm
4.8x300mm
4.8x350mm
4.8x400mm
4.8x500mm
7.6x300mm
7.6x350mm
7.6x400mm
7.6x500mm



CR-10S
CABLE ROLL

10 Meter
650W/3A
KabeL Asli Tembaga
Bahan Terminal Asli Kuningan Dengan Fuse Breaker

CR-15S
CABLE ROLL

15 Meter
1000W/5A
KabeL Asli Tembaga
Bahan Terminal Asli Kuningan Dengan Fuse Breaker